

PRICE LIST EFFECTIVE
Jan. 1, 2020

Sammons Equipment Manufacturing Corporation

SHAMMI INDUSTIRES



**Our "Queen Marys"
have made us Famous!!!!**



TABLE OF CONTENTS

QUEEN MARYS & SHELF TRUCKS	PA-1 thru PA-7	UTILITY & BUSSING CARTS	PE-1 thru PE-12
CABINETS, TRANSPORT & DELIVERY	PB-1 thru PB-9	DOLLIES & PLATFORM TRUCKS	PF-1 thru PF-6
PROOFING & HOT CABINETS	PC-1 thru PC-14	SHELVING & DUNNAGE RACKS	PG-1 thru PG-5
RACKS	PD-1 thru PD-17	SLICER STANDS & WORK TABLES	PG-1 and PH-1

TERMS & CONDITIONS & WARRANTY SEE INSIDE BACK COVER

X-REFERENCE CHART

MODEL #	Page Number	MODEL #	Page Number	MODEL #	Page Number	MODEL #	Page Number
CV-12	PD-4A	2173-2175	PE-3	2580	PD-1,PD-16E	9235	PC-6
E-11007	PA-1	2176	PA-5,PE-3	2581	PD-2A,PD-2B	9236	PC-4,PC-4A
GR	PH-1	2177-2179	PE-3	2582	PD-7	9238	PC-7
S-224	PE-2	2180	PA-5,PF-2	2583	PD-9	9240	PB-5
S-3131	PD-5,PD-6, PD-9	2191	PE-5	2584	PD-7	9250	PC-2,PC-3,PC-7,PC-13A
S-3587	PA-1	2192	PE-5	2585	PD-2,PD-4A, PD-11PD-16D,PD-12A	9251	PC-1,PC-1A
S-3658	PA-1	2193	PE-5	2586	PD-4A	9252	PC-2,PC-3,PC-13A
S-3751 THRU	PF-4	2194	PE-1,PE-2	2589	PD-3	9253,9254	PC-5
S-3755	PF-6	2195	PE-1	2601,2602	PH-1	9256	PC-4,PC-4A
S-3921		2196,2198	PE-2	2603,2604	PH-1	9260	PD-14
S-4100	PD-3,PD-14,PD-16E	2200	PB-3B	2607	PG-1		
S-4285	PB-2	2202	PB-3C,PB-3D,PB-3E	2801	PC-10	9264	PB-4,PB-6
S-4354	PD-4,PD-9, PD-11	2205	PB-8	2803	PC-8,PC-13A		
S-4358	PD-5	2230	PC-3	2805	PC-8		
S-5030	PA-3	2231	PC-1,PC-6	3919	PA-1	9270	PC-2
S-5036	PA-3,PE-11	2232	PC-3	4210	PA-1	9271	PC-1
S-5065	PB-8C	2233	PC-6	5166,5167	PE-1A	9273,9274	PC-5
S-5100	PA-2	2234	PC-1,PC-6	5170,5171	PE-1A	9280	PC-2,PC-3,PC-13A
S-5108	PA-3,PB-3A,	2235	PC-6	6231,6235	PF-4	9281	PC-1,PC-1A
S-5181	PD-16A	2236	PC-4	6251,6255	PF-4	9282	PC-2,PC-3,PC-13A
S-5481	PB-4	2237	PC-9	6271	PF-4		
WHD	PD-4A	2238	PC-7	6275	PF-4	9283	PC-5
1940	PE-4,PE-9	2250	PC-2,PC-7,PC-13A	6281,6285	PF-4	9284	PC-5,PC-13
1941	PE-9	2251	PC-1	9001	PE-5	9286	PC-4,PC-4A
2001	PE-5	2252	PC-2,PC-3,PC-13A	9007-9008	PE-6	9288	PC-7,PC-13
2006,2007	PE-6,PE-12	2253,2254	PC-5	9023-9030	PA-5	9292	PC-3,PC-13A
2008	PE-6	2256	PC-4	9040	PD-15,16,16F	9298	PC-7
2010-2012	PE-1	2270	PC-2	9045	PA-4,PA-5	9351	PG-4
2023-2030	PA-5	2271	PC-1	9047	PD-16,PD-16C	9355	PG-4
2035-2038	PE-1	2274	PC-5	9048	PD-16B	9359	PD-13
2040	PE-4	2280	PC-2,PC-3	9070	PA-6	9412	PC-9
2041	PE-4,PE-8	2281	PC-13A	9085	PF-1,PF-2	9501	PA-6
2043-2045	PE-4	2282	PC-1	9086	PF-1, PF-3	9502	PA-2
2047,2048	PE-4	2283,2284	PC-2,PC-3	9090	PF-3,PF-2	9503	PA-3,PA-6A
2049	PE-3A	2285	PC-5	9105	PB-1,PB-4,PB-2A	9504	PA-4
2060	PA-6B	2286	PC-11,PC-11D	9115	PB-3	9506	PA-6
2070	PA-6	2287	PC-12	9120	PD-4,9,11,16G	9560,9562	PD-13
2085	PF-1,PF-2	2288	PC-4,PC-11E,PC-12	9130	PE-9,PF-1,PG-3,PE-12	9563	PD-16B
2086	PF-1,PF-2	2289	PC-11F	9150,9152	PB-2,PB-2A	9564	PD-13
2089	PD-6	2292	PC-11,PC-11G	9156	PB-3,PB-3A,PB-2A,PB-3B,PB-4,PB-5,PB-7,PB-8.PD-12	9565	PD-16A,PD-12
2142	PE-3, PE-3A	2298	PC-10	9158	PB-3	9566	PE-10
2143	PE-3,PE-7,PE-3A	2305	PC-3,PC-12,PC-13A,PC-13	9170,9171	PD-12	9580	PD-1,PD-15,PD-16E,PD-2C
2145,2146	PE-7	2306	PC-7	9172	PD-7	9581	PD-1,PD-2A,PD-2B,PD-2C
2147	PE-4,PE-8	2307,2308	PG-1	9200	PB-3B	9582	PD-7,PD-9
2148	PE-10,PE-11	2309,2310	PA-3,PG-1	9202	PB-3C,PB-3D,PB-3E	9583	PD-9,PD-10
2150	PB-6,PB-8,PB-8B	2313,2314	PG-5	9220	PB-1,PB-3,PB-3A,PB-4,PB-7	9584	PD-7
2151	PE-4	2412	PC-9	9230	PC-3	9585	PD-2,PD-4A,PD-9,PD-10,PD-11.PD-14,PD-16D
2153,2154	PE-3,PE-1A	2420	PC-13B	9231	PC-1,PC-6,PC-1A	9586	PD-4A,PD-8
2160-2167	PA-5,PE-3	2502	PA-2	9233	PC-6	9587	PD-8
2168	PE-3	2503	PA-3,PA-6A	9234	PC-3	9588	PG-1
2169-2171,2172	PA-5,PE-3	2504	PA-4	9235	PC-3	9589	PD-3
		2506	PA-6	9236	PC-1,PC-6	9601	PF-3,PF-6
				9237		9602	PF-5
				9238		9803	PC-8,PC-13A



Angle ledge racks, standard duty & economy aluminum & stainless steel

- Furnished fully assembled with 5" casters.

CATALOG PAGES D-1

End Loading Racks (standard duty)

Aluminum Model No.	Stainless Steel Model No.	Pan Size (Inches)	Pan Capacity	Spacing (Inches)	O.A. Dimensions (Inches)			Weight (Pounds)		List Price	
					W	D	H	Alum	S/S	Alum	S/S
9580-20	2580-20	18 x 26	20	3	20 ⁵ / ₈	26 ¹ / ₂	69 ⁷ / ₁₆	81	114	\$ 852	\$ 1,900
9580-18	2580-18	18 x 26	18	3	20 ⁵ / ₈	26 ¹ / ₂	64 ³ / ₁₆	79	111	866	1,910
9580-10	2580-10	18 x 26	10	3	20 ⁵ / ₈	26 ¹ / ₂	39	77	108	735	1,558
9580-30	2580-30	18 x 26	30	2	20 ⁵ / ₈	26 ¹ / ₂	69 ⁷ / ₁₆	100	135	962	2,298
9580-24	2580-24	18 x 26	24	2 ¹ / ₂	20 ⁵ / ₈	26 ¹ / ₂	69 ⁷ / ₁₆	85	117	928	2,147
9580-22	2580-22	18 x 26	22	2 ¹ / ₂	20 ⁵ / ₈	26 ¹ / ₂	64	82	113	897	2,119
9580-1810	2580-1810	18 x 26	10	2 ¹ / ₂	20 ⁵ / ₈	26 ¹ / ₂	34	65	96	749	1,751
9580-12	2580-12	18 x 26	12	5 ¹ / ₁₆	20 ⁵ / ₈	26 ¹ / ₂	69 ⁷ / ₁₆	71	102	828	1,664
9580-11	2580-11	18 x 26	11	5 ¹ / ₁₆	20 ⁵ / ₈	26 ¹ / ₂	64 ³ / ₁₆	69	100	848	1,620
9580-15	2580-15	18 x 26	15	4	20 ⁵ / ₈	26 ¹ / ₂	69 ⁷ / ₁₆	65	97	882	2,110

NOTE: End loading racks for 18"x 26" bun pans are also available as roll-in racks. Add \$151 for aluminum & \$267 for s/s racks. Medium duty racks are also available. Consult factory.

Wide Open Racks (standard duty)

Aluminum Model No.	Stainless Steel Model No.	Pan Size (Inches)	Pan Capacity	Spacing (Inches)	O.A. Dimensions (Inches)			Weight (Pounds)		List Price	
					W	D	H	Alum	S/S	Alum	S/S
9580-W-20	2580-W-20	18 x 26	20	3	28 ⁵ / ₈	18 ¹ / ₂	69 ⁷ / ₁₆	75	94	\$ 838	\$ 1,867
9580-W-18	2580-W-18	18 x 26	18	3	28 ⁵ / ₈	18 ¹ / ₂	64 ³ / ₁₆	73	85	857	1,876
9580-W-12	2580-W-12	18 x 26	12	5 ¹ / ₁₆	28 ⁵ / ₈	18 ¹ / ₂	69 ⁷ / ₁₆	65	77	835	1,679

NOTE: Pan spacing & racks for pan/tray sizes other than those listed above are also available. Please consult factory. For other options, see Table DD-1

End Loading Rack (economy)

Aluminum Model Number	Pan Size (Inches)	Pan Capacity	Pan Spacing (Inches)	O.A. Dimensions (Inches)			Weight (Pounds)	List Price
9581-EC-20	18 x 26	20	3	20 ⁵ / ₈	26 ¹ / ₂	70	71	\$725

Knocked down (K.D.) type racks, aluminum

CATALOG PAGE D-1

- Knocked down construction for easy assembly & freight savings.
- All K.D. units can be shipped via U.P.S.
- 5" plate casters provide extra rigidity at base compared to stem casters.
- All aluminum construction.

For 18"x 26" Bun Pans (end loaded)

Type	Model Number	Pan Capacity	Pan Spacing (Inches)	O.A. Dimensions (Inches)			Weight (Pounds)	List Price (note 1)
				W	D	H		
Economy	9581-ECKD-20	20	3	20 ⁵ / ₈	26 ¹ / ₂	70	70	\$531
Std. Duty	9581-KD-20	20	3	20 ⁵ / ₈	26 ¹ / ₂	70	80	823

NOTES 1: List price is based on minimum quantity of 6 units.
 2: These racks are also available in side load construction. Add "-W" after model number. Consult factory for pricing.

For Donut Screens (end loaded, except as noted)

Model Number	Screen Size (Inches)	Screen Capacity	Screen Spacing (Inches)	O.A. Dimensions (Inches)			Weight (Pounds)	List Price (note 1)
				W	D	H		
9581-KD-2420	23 x 23 or 24 x 24	20	3	26 ⁵ / ₈	26 ¹ / ₂	70	87	\$887
9581-KD-3420	*23 x 33 or 24 x 34	20	3	36 ⁵ / ₈	26 ¹ / ₂	70	89	941

*Side loaded.

NOTES 1: List price is based on minimum quantity of 6 units.
 2: All knocked down racks are also available as fully assembled & welded at top & bottom. Add 20% to list price & remove "-KD" from model number.
 3: Knocked down racks are also available for other pan sizes & spacings as well as in heavier duty construction. Economy racks for wire screens are also available. Consult factory.

For options, see Table DD-1



9580-20



9580-W-20



9581-ECKD-20



Heavy duty fixed angle roll-in slide racks, aluminum & stainless steel

- Fully welded frame at top & bottom.
- Heavy duty construction & furnished with 5" casters.

CATALOG PAGE D-3

Single End Loading Racks (except as noted)

Aluminum Model No.	Stainless Steel Model No.	Pan Size (Inches)	Pan Capacity	Spacing (Inches)	O.A. Dimensions (Inches)			Weight (Pounds)		List Price	
					W	D	H	Alum	S/S	Alum	S/S
9585-1820	2585-1820	18 x 26	20	3	20 ³ / ₈	26 ¹ / ₂	69 ⁷ / ₁₆	84	125	\$ 1,052	\$ 2,368
9585-1818	2585-1818	18 x 26	18	3	20 ³ / ₈	26 ¹ / ₂	64 ³ / ₁₆	81	120	1,057	2,302
9585-1816	2585-1816	18 x 26	16	3	20 ³ / ₈	26 ¹ / ₂	57 ⁷ / ₁₆	79	116	1,082	2,258
9585-1809	2585-1809	18 x 26	9	3	20 ³ / ₈	26 ¹ / ₂	36	74	112	961	1,937
9585-1824	2585-1824	18 x 26	24	2 ¹ / ₂	20 ³ / ₈	26 ¹ / ₂	69 ⁷ / ₁₆	90	135	1,120	2,394
9585-1822	2585-1822	18 x 26	22	2 ¹ / ₂	20 ³ / ₈	26 ¹ / ₂	64 ³ / ₁₆	87	130	1,091	2,386
9585-1819	2585-1819	18 x 26	19	2 ¹ / ₂	20 ³ / ₈	26 ¹ / ₂	56 ¹⁵ / ₁₆	83	120	1,077	2,368
9585-1810	2585-1810	18 x 26	10	2 ¹ / ₂	20 ³ / ₈	26 ¹ / ₂	34 ⁷ / ₁₆	75	110	991	2,246
9585-1815	2585-1815	18 x 26	15	4	20 ³ / ₈	26 ¹ / ₂	69 ⁷ / ₁₆	78	114	1,151	2,565
9585-1812	2585-1812	18 x 26	12	5 ¹ / ₁₆	20 ³ / ₈	26 ¹ / ₂	69 ⁷ / ₁₆	77	112	1,063	2,216
9585-1811	2585-1811	18 x 26	11	5 ¹ / ₁₆	20 ³ / ₈	26 ¹ / ₂	64 ³ / ₁₆	76	110	1,046	2,191
9585-2010	2585-2010	20 x 20	10	5 ¹ / ₁₆	22 ³ / ₈	23 ¹ / ₂	59 ⁷ / ₁₆	76	110	1,227	2,547
9585-2008	2585-2008	Glass	8	6	22 ³ / ₈	23 ¹ / ₂	57 ⁹ / ₁₆	74	112	1,202	2,460
9585-2005	2585-2005	Racks	5	6	22 ³ / ₈	23 ¹ / ₂	39 ⁷ / ₁₆	63	86	1,124	2,216
9585-1509	2585-1509	15 x 20	9	5 ¹ / ₁₆	18 ¹ / ₄	23 ¹ / ₂	55	74	112	1,258	2,587
9585-1524	2585-1524	15 x 20	*24	5 ¹ / ₁₆	23	31	69 ⁷ / ₁₆	82	122	1,274	2,954
9585-1522	2585-1522	15 x 20	*22	5 ¹ / ₁₆	23	31	64 ³ / ₁₆	80	118	1,288	2,771
9585-1440	2585-1440	14 x 18	*40	3	20 ³ / ₄	29	69 ⁷ / ₁₆	87	132	1,196	2,684
9585-1436	2585-1436	14 x 18	*36	3	20 ³ / ₄	29	64 ³ / ₁₆	84	123	1,197	2,619
9585-1424	2585-1424	14 x 18	*24	5 ¹ / ₁₆	20 ³ / ₄	29	69 ⁷ / ₁₆	79	116	1,194	2,583
9585-1418	2585-1418	14 x 18	*18	5 ¹ / ₁₆	20 ³ / ₄	29	55	77	112	1,161	2,570
9585-1609	2585-1609	16 x 22	9	5 ¹ / ₁₆	19 ¹ / ₄	23 ¹ / ₂	55	75	110	1,153	2,394
9585-1224	2585-1224	12 x 19 or 12x20 trays	*24	5 ¹ / ₁₆	22 ³ / ₈	26 ¹ / ₂	69 ⁷ / ₁₆	85	128	1,239	2,503
9585-2112	2585-2112	**20 ⁷ / ₈ x25 ¹ / ₂	12	5 ¹ / ₁₆	23 ³ / ₈	26 ¹ / ₂	69 ⁷ / ₁₆	79	116	1,284	2,322
9585-2111	2585-2111	**20 ⁷ / ₈ x25 ¹ / ₂	11	5 ¹ / ₁₆	23 ³ / ₈	26 ¹ / ₂	64 ³ / ₁₆	77	112	1,269	2,200
9585-2120	2585-2120	**20 ⁷ / ₈ x25 ¹ / ₂	20	3	23 ³ / ₈	26 ¹ / ₂	69 ⁷ / ₁₆	89	138	1,317	2,386
9585-2118	2585-2118	**20 ⁷ / ₈ x25 ¹ / ₂	18	3	23 ³ / ₈	26 ¹ / ₂	64 ³ / ₁₆	86	132	1,299	2,357

*2 trays side by side on same pair of slides.1,0981,208

**Gastronorm GN 2/1 & European maxi pans (5301,1401,254mm x 650mm) ³/₄" and 1¹/₈" thick. 1,237

Wide Opening Racks (side loading)

Aluminum Model No.	Stainless Steel Model No.	Pan Size (Inches)	Pan Capacity	Spacing (Inches)	O.A. Dimensions (Inches)			Weight (Pounds)		List Price	
					W	D	H	Alum	S/S	Alum	S/S
9585-W-1820	2585-W-1820	18 x 26	20	3	28 ³ / ₈	18 ¹ / ₂	69 ⁷ / ₁₆	80	110	\$ 1,077	\$ 2,334
9585-W-1818	2585-W-1818	18 x 26	18	3	28 ³ / ₈	18 ¹ / ₂	64 ³ / ₁₆	78	105	1,063	2,302
9585-W-1812	2585-W-1812	18 x 26	12	5 ¹ / ₁₆	28 ³ / ₈	18 ¹ / ₂	69 ⁷ / ₁₆	74	98	1,061	2,330
9585-W-1811	2585-W-1811	18 x 26	11	5 ¹ / ₁₆	28 ³ / ₈	18 ¹ / ₂	64 ³ / ₁₆	72	95	1,043	2,258
9585-W-1612	2585-W-1612	16 x 22	12	5 ¹ / ₁₆	25 ¹ / ₈	18 ¹ / ₂	69 ⁷ / ₁₆	73	97	1,063	2,330
9585-W-1609	2585-W-1609	16 x 22	9	5 ¹ / ₁₆	25 ¹ / ₈	18 ¹ / ₂	55	69	92	1,033	2,246

NOTE 1: Super duty construction is also available with slides riveted & welded for correctional facilities. Add 15% to above prices. Consult factory.

NOTE 2: Pan spacings other than listed above are available. Please consult factory.

NOTE 3: Aluminum angle slide racks are available with solid sides with spacings on 2¹/₄" , 3" , 4¹/₂" or 5¹/₁₆" for hospitals and other institutions. Consult factory.

NOTE 4: Racks for 18"x 26" (end loaded) are also available with 3¹/₄" wide slides to accommodate both 18"x 26" bun pans and 12"x 20" steam pans. Add 20% to list prices. Consult factory.

For other options, see Table DD-1



9585-1820



9585-W-1812



Special Value Knocked down (K.D.) bun pan racks, aluminum

CATALOG PAGE D-35

- Knocked down construction for easy assembly & freight savings.
- All K.D. units can be shipped via U.P.S.
- 5" Polyurethane stem casters for medium duty & 5" polyolefine for light duty economy.
- 1" square tubing rounded top frame.

For 18"x 26" Bun Pans (end loaded)

Type	Model Number	Pan Capacity	Pan Spacing (Inches)	O.A. Dimensions (Inches)			Weight (Pounds)	List Price (note 1)
				W	D	H		
Light Duty Economy	9581-BLEC-KD-20	20	3	20%	26 1/4	70 1/4	33	P.O.R
Medium Duty	9581-BLMD-KD-20	20	3	20%	26 1/4	70 1/4	38	\$ 523

Options: None



9581-BLEC-KD-20

Special Value Angle slide bun pan racks, aluminum & stainless steel

CATALOG PAGE D-35

- 1" square tubing rounded top frame.
- Furnished fully assembled.
- All welded construction.
- 5" polyurethane tread stem casters.

Aluminum end loading racks

Type	Model Number	Pan Size (Inches)	Pan Spacing (Inches)	Pan Capacity	O.A. Dimensions (Inches)			Weight (Pounds)	List Price
					W	D	H		
Medium Duty	9581-BLMD-20	18 x 26	3	20	20 3/8	26	70 1/4	70	\$ 701
	9581-BLMD-18	18 x 26	3	18	20 3/8	26	64 1/4	67	770
Heavy Duty	9581-BLHD-20	18 x 26	3	20	20 3/8	26	70 1/4	74	754
	9581-BLHD-18	18 x 26	3	18	20 3/8	26	64 1/4	71	832

Stainless steel end loading racks

Type	Model Number	Pan Size (Inches)	Pan Spacing (Inches)	Pan Capacity	O.A. Dimensions (Inches)			Weight (Pounds)	List Price
					W	D	H		
Medium Duty	2581-BLMD-20	18 x 26	3	20	20 3/8	26	70 1/4	112	\$ 1,442
	2581-BLMD-18	18 x 26	3	18	20 3/8	26	64 1/4	107	1,586



9581-BLMD-20

Aluminum wide opening (side loading) racks

Type	Model Number	Pan Size (Inches)	Pan Spacing (Inches)	Pan Capacity	O.A. Dimensions (Inches)			Weight (Pounds)	List Price
					W	D	H		
Medium Duty	9581-BL-W-20	18 x 26	3	20	28 3/8	18 1/4	70 1/4	65	\$ 657
	9581-BL-W-18	18 x 26	3	18	28 3/8	18 1/4	64 1/4	62	748

Options:

List Price

Options:

List Price

- | | | | |
|---|------------------------|---|-------------------|
| A. Wheel brakes (pair) | \$ 23 | F. Vertical leg bumper (set of 4) | \$162 |
| B. Corner bumpers (set of 4) | 109 | G. Perimeter bumper | 251 |
| C. 5" plate casters (in lieu of 5" stem casters) | 118(Alum)
162 (S/S) | H. 6"X2" H.D. polyurethane plate casters (in lieu of 5" stem) | 388 |
| D. Vertical pan stop (Alum) | 82 | I. Correctional package | (consult factory) |
| E. Vertical pan stop (S/S) | 162 | | |



9581-BL-W-20

Special Value Channel slide bun pan racks, aluminum

CATALOG PAGE D-36

- 1" square tubing rounded top frame
- Furnished fully assembled
- All welded construction.
- 5" Stem polyurethane casters

Type	Model Number	Pan Size (Inches)	Pan Spacing (Inches)	Pan Capacity	O.A. Dimensions (Inches)			Weight (Pounds)	List Price
					W	D	H		
Medium Duty	9581-BL-CS-40	18 x 26	1 1/2	39	20 3/8	26 1/4	70 1/4	74	\$ 752
	9581-BL-CS-36	18 x 26	1 1/2	35	20 3/8	26 1/4	64 1/4	81	842

Options: Same as above for angle slide racks.



9581-BL-CS-40



Special Value angle ledge type roll-in racks for bun pans, aluminum & stainless steel

CATALOG PAGE D-37

- 1" square tubing rounded top frame.
- All welded construction.
- Furnished fully assembled.
- 5" In-set polyurethane plate casters.

Aluminum end loading Roll-In racks

Type	Model Number	Pan Size (Inches)	Pan Spacing (Inches)	Pan Capacity	O.A. Dimensions (Inches)			Weight (Pounds)	List Price
					W	D	H		
Medium Duty	9581-MD-20	18 x 26	3	20	20 3/8	26	70 1/4	80	\$ 818
	9581-MD-18	18 x 26	3	18	20 3/8	26	64 1/4	77	911
Heavy Duty	9581-HD-20	18 x 26	3	20	20 3/8	26	70 1/4	83	894
	9581-HD-18	18 x 26	3	18	20 3/8	26	64 1/4	80	987



9581-HD-20

Stainless steel end loading Roll-In racks

Type	Model Number	Pan Size (Inches)	Pan Spacing (Inches)	Pan Capacity	O.A. Dimensions (Inches)			Weight (Pounds)	List Price
					W	D	H		
Medium Duty	2581-MD-20	18 x 26	3	20	20 3/8	26	70 1/4	115	\$ 1,693
	2581-MD-18	18 x 26	3	18	20 3/8	26	64 1/4	110	1,837

Options:

List Price

- A. Wheel brakes (pair) \$23
- B. Corner bumpers (set of 4) 109
- C. 6"X2" H.D. polyurethane plate casters (in lieu of 5") 321
- D. Correctional package (Consult factory)

Options:

List Price

- E. Vertical leg bumper (set of 4) \$ 162
- F. Perimeter bumper 242
- G. Vertical pan stop (Alum) 82
- H. Vertical pan stop (S/S) 162

Special Value heavy duty extruded side panel end loading racks for bun pans

CATALOG PAGE D-37

- Heavy duty square tubing frame.
- All welded construction.
- Pans are lip loaded.
- 5" Polyurethane plate casters.
- Furnished fully assembled.

Type	Model Number	Pan Size (Inches)	Pan Spacing (Inches)	Pan Capacity	O.A. Dimensions (Inches)			Weight (Pounds)	List Price (see note 1)
					W	D	H		
Heavy Duty	9581-BL-SP-39	18 x 26	1 1/2	39	21	26 1/8	67 1/2	98	\$ 1,115



9581-BL-SP-39

Options: Same as above for Roll-In racks

Special Value "Z" type nesting racks for bun pans, aluminum & stainless steel

CATALOG PAGE D-36

- 1" square tubing rounded top frame.
- All welded construction.
- 5" Polyurethane stem casters.
- Racks nest in "Z" format.

Type	Model Number	Pan Size (Inches)	Pan Spacing (Inches)	Pan Capacity	O.A. Dimensions (Inches)			Weight (Pounds)	List Price
					W	D	H		
Alum	9581-N-20-MD	18 x 26	3	20	20 3/8	26	70 1/4	80	\$ 1,084
	9581-N-20-HD	18 x 26	3	20	20 3/8	26	70 1/4	85	1,154
Stainless Steel	2581-N-20-MD	18 x 26	3	20	20 3/8	26	70 1/4	143	1,785



9581-N-20-MD

Options:

List Price

- Wheel brakes (pair) \$23



Super duty angle ledge bun pan racks for correctional & heavy institution use, aluminum & stainless steel

CATALOG PAGE D-40

- 1" square tubing rounded top frame.
- All welded construction.
- Furnished fully assembled.
- 5" Polyurethane plate casters.
- Slides welded front & back.

Type	Model Number	Pan Size (Inches)	Pan Spacing (Inches)	Pan Capacity	O.A. Dimensions (Inches)			Weight (Pounds)	List Price
					W	D	H		
Aluminum	9581-SD-20	18 x 26	3	20	20 3/8	26	70 1/4	81	\$ 988
Stainless steel	2581-SD-20	18 x 26	3	20	20 3/8	26	70 1/4	130	1,821

Options:

List Price

- A. Wheel brakes (pair) \$23
- B. Corner bumpers (set of 4) 109
- C. 6"X2" H.D. polyurethane plate casters (in lieu of 5") 321
- D. Correctional package (Consult factory)

Options:

List Price

- E. Vertical leg bumper (set of 4) \$162
- F. Perimeter bumper 242
- G. Vertical pan stop (Alum) 82
- H. Vertical pan stop (S/S) 162



9581-SD-20 (w/optional corner bumpers)

Under counter and half size angle slide end loading bun pan racks, aluminum

CATALOG PAGE D-40

Style "A": Special Value racks:

- 1" square tubing frame.
- All welded construction.
- Furnished fully assembled.
- 5" polyurethane tread stem casters

Type	Model Number	Pan Size (Inches)	Pan Spacing (Inches)	Pan Capacity	O.A. Dimensions (Inches)			Weight (Pounds)	List Price
					W	D	H		
Under Counter	9581-BL-MD-08	18 x 26	3	8	20 3/8	26	32 1/4	63	\$ 588
	9581-BL-CS-16	18 x 26	1 1/2	16	20 3/8	26	32 1/4	67	681
Half Size	9581-BL-MD-09	18 x 26	3	9	20 3/8	26	35 1/4	68	644
	9581-BL-MD-10	18 x 26	3	10	20 3/8	26	38 1/4	69	678



9581-BL-MD-10



9581-BL-MD-08 (w/optional s/s top)

Style "B": Duratuff racks:

- Heavy duty 2"x1"x1/8" channel uprights.
- Fully welded frame with riveted slides.
- Furnished fully assembled.
- 5" polyurethane tread plate casters.

Type	Model Number	Pan Size (Inches)	Pan Spacing (Inches)	Pan Capacity	O.A. Dimensions (Inches)			Weight (Pounds)	List Price
					W	D	H		
Under Counter	9580-LS-1808	18 x 26	3	8	20 3/8	26	32 1/4	67	\$ 725
	9580-CS-1816	18 x 26	1 1/2	16	20 3/8	26	32 1/4	71	765
Half Size	9580-LS-1809	18 x 26	3	9	20 3/8	26	36 3/8	74	734
	9580-LS-1810	18 x 26	3	10	20 3/8	26	39 3/8	77	746

Note: Racks are also available with other pan spacing. Consult factory

Options:

List Price

- A. Wheel brakes (pair) \$ 23
- B. Corner bumpers (set of 4) 109
- C. 5" plate casters (in lieu of 5" stem casters) 145(Alum) 179 (S/S)
- D. Vertical pan stop (Alum) 82
- E. Vertical pan stop (S/S) 162

Options:

List Price

- F. Vertical leg bumper (set of 4) \$162
- G. Perimeter bumper 242
- H. Aluminum top 179
- I. Stainless steel top 281
- J. All s/s construction (change model # from first digit of 9 to 2) Add 90%



9580-LS-1808



**Extra heavy duty fixed angle ledge
roll-in racks for correctional &
heavy institutional use,
aluminum & stainless steel**

- All welded construction.
- Extra heavy duty slides & 5" casters are standard.



CATALOG PAGE D-4

Single End Loading Racks (except as noted)

S-4100-20

Double Rack

Aluminum Model No.	Stainless Steel Model No.	Pan Size (Inches)	Pan Capacity	Spacing (Inches)	O.A. Dimensions (Inches)			Weight (Pounds)		List Price	
					W	D	H	Alum	S/S	Alum	S/S
S-4100-20	S-4100-20-SS	18 x 26	20	3	20 ³ / ₈	26 ¹ / ₂	69 ⁷ / ₁₆	79	145	\$ 1,132	\$ 2,706
S-4100-18	S-4100-18-SS	18 x 26	18	3	20 ³ / ₈	26 ¹ / ₂	64 ³ / ₁₆	77	137	1,085	2,720
S-4100-16	S-4100-16-SS	18 x 26	16	3	20 ³ / ₈	26 ¹ / ₂	57 ³ / ₁₆	75	130	1,110	2,687
S-4100-12	S-4100-12-SS	18 x 26	12	5 ¹ / ₁₆	20 ³ / ₈	26 ¹ / ₂	69 ⁷ / ₁₆	69	113	1,054	2,551
S-4100-11	S-4100-11-SS	18 x 26	11	5 ¹ / ₁₆	20 ³ / ₈	26 ¹ / ₂	64 ³ / ₁₆	68	110	1,027	2,499
S-4100-2010	S-4100-2010-SS	20 x 20	10	6	22 ³ / ₄	26 ¹ / ₂	69 ⁷ / ₁₆	67	108	1,389	2,929
S-4100-2008	S-4100-2008-SS	20 x 20	8	6	22 ³ / ₄	26 ¹ / ₂	57 ³ / ₁₆	65	102	1,379	2,896
S-4100-24	S-4100-24-SS	18 x 26	24	2 ¹ / ₂	20 ³ / ₈	26 ¹ / ₂	69 ⁷ / ₁₆	85	158	1,246	2,861
S-4100-22	S-4100-22-SS	18 x 26	22	2 ¹ / ₂	20 ³ / ₈	26 ¹ / ₂	64 ³ / ₁₆	82	152	1,216	2,810
S-4100-19	S-4100-19-SS	18 x 26	19	2 ¹ / ₂	20 ³ / ₈	26 ¹ / ₂	57 ³ / ₁₆	79	146	1,181	2,772
S-4100-1524	S-4100-1524-SS	*15 x 20	24	5 ¹ / ₁₆	23	31	69 ⁷ / ₁₆	97	180	1,347	2,990
S-4100-1440	S-4100-1440-SS	*14 x 18	40	3	20 ³ / ₄	29	69 ⁷ / ₁₆	83	154	1,256	2,868
S-4100-1436	S-4100-1436-SS	*14 x 18	36	3	20 ³ / ₄	29	64 ³ / ₁₆	81	149	1,172	2,585
S-4100-1424	S-4100-1424-SS	*14 x 18	24	5 ¹ / ₁₆	20 ³ / ₄	29	69 ⁷ / ₁₆	74	128	1,086	2,673
S-4100-1422	S-4100-1422-SS	*14 x 18	22	5 ¹ / ₁₆	20 ³ / ₄	29	64 ³ / ₁₆	72	122	1,056	2,620

* 2 trays side by side on same pair of angles.

Side Loading (wide opening) Racks

Aluminum Model No.	Stainless Steel Model No.	Pan Size (Inches)	Pan Capacity	Spacing (Inches)	O.A. Dimensions (Inches)			Weight (Pounds)		List Price	
					W	D	H	Alum	S/S	Alum	S/S
S-4100-W-20	S-4100-W-20-SS	18 x 26	20	3	28 ⁵ / ₈	18 ¹ / ₂	69 ⁷ / ₁₆	75	122	\$ 1,159	\$ 2,536
S-4100-W-12	S-4100-W-12-SS	18 x 26	12	5 ¹ / ₁₆	28 ⁵ / ₈	18 ¹ / ₂	69 ⁷ / ₁₆	66	96	1,070	2,384

Double End Loading Racks (except as noted)

Aluminum Model No.	Stainless Steel Model No.	Pan Size (Inches)	Pan Capacity	Spacing (Inches)	O.A. Dimensions (Inches)			Weight (Pounds)		List Price	
					W	D	H	Alum	S/S	Alum	S/S
S-4100-D-40	S-4100-D-40-SS	18 x 26	40	3	40 ¹ / ₈	26 ¹ / ₂	69 ⁷ / ₁₆	137	273	\$ 2,194	\$ 4,929
S-4100-D-32	S-4100-D-32-SS	18 x 26	32	3	40 ¹ / ₈	26 ¹ / ₂	57 ³ / ₁₆	127	244	2,126	4,804
S-4100-D-24	S-4100-D-24-SS	18 x 26	24	5 ¹ / ₁₆	40 ¹ / ₈	26 ¹ / ₂	69 ⁷ / ₁₆	118	218	2,058	4,256
S-4100-D-18	S-4100-D-18-SS	18 x 26	18	5 ¹ / ₁₆	40 ¹ / ₈	26 ¹ / ₂	55	111	198	2,047	4,225
S-4100-D-1448	S-4100-D-1448-SS	*14 x 18	48	5 ¹ / ₁₆	40 ¹ / ₈	29	69 ⁷ / ₁₆	149	311	2,104	4,359
S-4100-D-1436	S-4100-D-1436-SS	*14 x 18	36	5 ¹ / ₁₆	40 ¹ / ₈	29	55	137	274	2,069	4,276

2 trays side by side on same pair of angles.

NOTE: Super heavy duty racks are also available with slides riveted & welded to uprights. Add "-SD" after model number and add 15% to list price. Racks for 18"x 26" pans are also available with 3/4" wide slides to accommodate both 18"x 26" & 12"x 20" steam pans. Add 20% to list price. For other options, see Table DD-1

Nesting racks, aluminum & stainless steel

CATALOG PAGE D-23

Model Number		Pan Size (Inches)	Pan Capacity	Pan Spacing (Inches)	Overall Dimensions (Inches)			Weight (Pounds)		List Price	
Alum.	S/S				W	D	H	Alum	S/S	Alum	S/S
9589-N-24	2589-N-24	18 x 26	24	2 ¹ / ₂	22 ¹ / ₂	26 ³ / ₄	70 ¹³ / ₁₆	87	104	\$ 1,202	\$ 2,736
9589-N-20	2589-N-20	18 x 26	20	3	22 ¹ / ₂	26 ³ / ₄	70 ¹³ / ₁₆	83	98	1,161	2,662
9589-N-16	2589-N-16	18 x 26	16	3	22 ¹ / ₂	26 ³ / ₄	64 ¹³ / ₁₆	80	92	1,118	2,609
9589-N-15	2589-N-15	18 x 26	15	4	22 ¹ / ₂	26 ³ / ₄	70 ¹³ / ₁₆	77	89	1,181	2,703
9589-N-12	2589-N-12	18 x 26	12	5 ¹ / ₁₆	22 ¹ / ₂	26 ³ / ₄	70 ¹³ / ₁₆	75	85	1,155	2,643

For options, see Table DD-1




9585-N-12



Extruded side panel roll-in open pan racks, heavy duty, all aluminum

CATALOG PAGE D-7

*Model Number	Type of Loading	Pan Capacity	Pan Size (Inches)	Pan Spacing (Inches)	O.A. Dimensions (Inches)			Weight (Pounds)	List Price
					W	D	H		
S-4354-39	End	39	18 x 26	1½	20⅝	26½	69 ⁷ / ₁₆	91	\$ 1,200
S-4354-35	End	35	18 x 26	1½	20⅝	26½	64 ³ / ₁₆	87	1,225
S-4354-31	End	31	18 x 26	1½	20⅝	26½	57 ⁷ / ₁₆	82	1,194
S-4354-19	End	19	18 x 26	1½	20⅝	26½	39 ⁷ / ₁₆	68	1,160
S-4354-W-39	Side	39	18 x 26	1½	28⅝	18½	69 ⁷ / ₁₆	83	1,276
S-4354-W-35	Side	35	18 x 26	1½	28⅝	18½	64 ³ / ₁₆	81	1,256



S-4354-39

*Optional extra heavy duty models with riveted & welded side panels are also available for correctional & heavy institutional use. Add "-EHD" after model number. Add 15% to list prices. For options, see Table DD-1

Corrugated side walls roll-in open pan racks, heavy duty, aluminum and stainless steel

CATALOG PAGE D-5

End Loading Racks (Aluminum)

Model Number	Pan Capacity	Pan Size (Inches)	Pan Spacing (Inches)	O.A. Dimensions (Inches)			Weight (Pounds)	List Price
				W	D	H		
9120-1839	39	18 x 26	1½	20½	26½	69 ⁷ / ₁₆	87	\$ 1,274
9120-1831	31	18 x 26	1½	20½	26½	57 ⁷ / ₁₆	71	1,335
9120-1822	22	18 x 26	1½	20½	26½	42 ⁷ / ₁₆	57	1,318



9120-1839

End Loading Rack (Stainless Steel)

Model Number	Pan Capacity	Pan Size (Inches)	Pan Spacing (Inches)	O.A. Dimensions (Inches)			Weight (Pounds)	List Price
				W	D	H		
9120-SS-1839	39	18 x 26	1½	20½	26½	69 ⁷ / ₁₆	115	\$ 2,272



9120-1215



9120-1238

NOTE: These racks are also available as wide open racks as well as in spacing other than 1½". Consult factory. For options, see Table DD-1

Stainless steel corrugated sides racks with aluminum or stainless steel frames for 12"x 20" U.S. & gastronorm steam pans

CATALOG PAGE D-6

Type	Aluminum Frame with Stainless Steel Corrugated Sides	All Stainless Steel (Frame & Corrugated Sides)	Pan Capacity (Inches) (note 2)	Pan Size (Inches) (note 1)	O.A. Dimensions (Inches)			Aluminum Frame with Stainless Steel Corrugated Sides		All Stainless Steel (Frame & Corrugated Sides)	
	Model Number	Model Number			W	D	H	Weight (Pounds)	List Price	Weight (Pounds)	List Price
Single End Loading	9120-1215	9120-SS-1215	15	12 x 20	16¾	23¼	58¾	113	\$ 1,530	135	2,252
*Double Side Loading	9120-1238	9120-SS-1238	38	12 x 20	23 ⁹ / ₁₆	26¼	69 ⁷ / ₁₆	129	1,875	155	2,965
	9120-1234	9120-SS-1234	34	12 x 20	23 ⁹ / ₁₆	26¼	64 ³ / ₁₆	123	P.O.R.	151	P.O.R.

*Two pans/pair of slides.

NOTE 1: Pan size is U.S. 12"x 20" or gastronorm GN 1/1 (325mmx530mm). In addition, double side loading models will also accommodate one GN 2/1 pan (530mmx650mm) end loaded.

NOTE 2: Capacity based on 2½" (64mm) deep pans. Capacity for 4" (102mm) or 6" (152mm) deep pans will vary.

Options:

List Price

- A. Perforations on sides for extra circulation.....\$267
- B. Corrugations spaced on 3" centers instead of 1½".....170

For other options, see Table DD-1

All racks listed on this page have fully welded frame at top & bottom & are furnished with 5" casters.



Extra heavy duty aluminum & stainless steel angle slide bun pan racks for correctional facilities

CATALOG PAGE D-38

- 2" wide x 0.100" thick (alum.) or 16 ga. (s/s) angle slides.
- 6"x2" heavy duty polyurethane tread plate casters.
- All welded construction, shipped fully assembled.
- 1 1/2" square heavy wall tubular uprights.

Type	Model Number	Pan Size (Inches)	Pan Spacing (Inches)	Pan Capacity	O.A. Dimensions (Inches)			Weight (Pounds)	List Price
					W	D	H		
Aluminum	9585-EHD-20	18 x 26	3	20	21 3/8	26 1/4	71	97	\$ 1,454
	9585-EHD-18	18 x 26	3	18	21 3/8	26 1/4	65	92	1,426
Stainless Steel	2585-EHD-20	18 x 26	3	20	21 3/8	26 1/4	71	149	2,743
	2585-EHD-18	18 x 26	3	18	21 3/8	26 1/4	65	143	2,690



9585-EHD-20

Options:

1. Extra wide (3 1/4" wide) slides
 2. Roll-In rack (w/inset 5" casters)
- For other options, see Table DD-1

List Price (Alum. Models)

\$293
144

List Price (S/S Models)

\$ 496
254

Half size room service racks for hospital trays, aluminum & stainless steel, heavy duty

CATALOG PAGE D-38

- Fully welded frame at top & bottom.
- Furnished with solid top & 5" casters.

Double Side Loading Racks (2 trays / pair of slides), except as noted.

Aluminum Model No.	Stainless Steel Model No.	Pan Size (Inches)	Pan Capacity	Spacing (Inches)	O.A. Dimensions (Inches)			Weight (Pounds)		List Price	
					W	D	H	Alum	S/S	Alum	S/S
9586-1507	2586-1507	*15 x 20	7	5 1/16	18 1/4	23 1/2	44 1/2	74	120	\$ 1,130	\$ 2,088
9586-1514	2586-1514	15 x 20	14	5 1/16	23	31	44 1/2	90	132	1,181	2,189
9586-1512	2586-1512	15 x 20	12	5 1/16	23	31	39 1/2	86	130	1,165	2,154
9586-1414	2586-1414	14 x 18	14	5 1/16	20 3/4	29	44 1/2	86	131	1,157	2,138
9586-1412	2586-1412	14 x 18	12	5 1/16	20 3/4	29	39 1/2	82	127	1,143	2,115
9586-1607	2586-1607	*16 x 22	7	5 1/16	19 1/4	23 1/2	44 1/2	76	123	1,078	1,993
9586-1614	2586-1614	16 x 22	14	5 1/16	25	33	44 1/2	94	142	1,223	2,258
9586-1214	2586-1214	12 x 19 or 12x20 trays	14	5 1/16	22 3/8	26 1/2	44 1/2	82	124	1,143	2,115

pair of slides)

Note: 3/4 and full height racks are also available. See catalog page D-3 (price list PD-2) for these racks. Other slide spacings & capacities are also available. Racks for 16"x22" trays are also available with universal angle slides to accommodate 14"x18" & 15"x20" trays. Consult factory.



*Single end loaded (one tray per

9586-1514
(shown with optional pan stop)

Options:

S/S top (in lieu of aluminum top) for alum. models
 For other options, see. Table DD-1

Price List

\$ 306

Special vinyl covers for bun pan racks

CATALOG PAGE D-37

- Designed for pan racks 21 1/2"Wx26 1/2"Dx70 1/4"H
- 3 Heavy duty reinforced full lengths zippers & reinforced top panel
- Rack cover CV-12 is made of 12-MIL Vinyl PC
- Rack cover WHD-15 is made of reinforced 15-MIL PVC Vinyl with clear window

Model	Type	Size	Weight	List Price
CV-12	* Clear view heavy duty	23"x28"x63"	6#	\$ 216
WHD-15	Woven heavy duty with window	23"x28"x63"	9#	314



Rack cover CV-12



Rack cover WHD-15

*CV-12 is not recommended for freezer use.



Oval tray service racks, heavy duty aluminum & stainless steel



S-4358



S-4358-308



S-4358-D-20
 (with optional pan stops & perimeter bumper)

A. Oval Tray Racks for 20³/₄"x 25¹/₂", 22"x26⁷/₈" & 22³/₄"x 27⁵/₈" oval trays CATALOG PAGE D-11

Type	Model Number		Pan Capacity	O.A. Dimensions (Inches)			Weight (Pounds)		List Price	
	Alum	S/S		W	D	H	Alum	S/S	Alum	S/S
Single Rack	S-4358	S-4358-SS	10	26 ⁷ / ₈	29	69 ⁷ / ₁₆	83	115	\$ 1,352	\$ 2,798
Double Rack	S-4358-D-20	S-4358-D-20-SS	20	51	29	69 ⁷ / ₁₆	149	290	2,554	4,875
Single Rack with Solid Shelves	S-4358-308	S-4358-308-SS	10	26 ⁷ / ₈	29	69 ⁷ / ₁₆	104	236	2,524	5,538

B. Oval Tray Racks for 23¹/₂"x29" oval trays

Type	Model Number		Pan Capacity	O.A. Dimensions (Inches)			Weight (Pounds)		List Price	
	Alum	S/S		W	D	H	Alum	S/S	Alum	S/S
Single Rack	S-4358-2329	S-4358-SS-2329	10	26 ³ / ₄	29	69 ⁷ / ₁₆	85	118	\$ 1,458	\$ 3,023
Double Rack	S-4358-D-20-2329	S-4358-D-20-SS-2329	20	52 ¹ / ₄	29	69 ⁷ / ₁₆	152	295	2,756	5,263

C. Universal Oval Tray Racks with 6" wide slides for 20³/₄"x 25¹/₂", 22"x26⁷/₈", 22³/₄"x 27⁵/₈" & 23¹/₂"x29" oval trays

Type	Model Number		Pan Capacity	O.A. Dimensions (Inches)			Weight (Pounds)		List Price	
	Alum	S/S		W	D	H	Alum	S/S	Alum	S/S
Single Rack	S-4358-LA	S-4358-SS-LA	10	26 ³ / ₄	29	69 ⁷ / ₁₆	99	125	\$ 1,555	\$ 3,216
Double Rack	S-4358-D-20-LA	S-4358-D-20-SS-LA	20	52 ¹ / ₄	29	69 ⁷ / ₁₆	165	320	2,935	5,605

NOTE: All slides for Styles "A", "B" & "C" are spaced on 6" centers. For options, see Table DD-1

Universal angle, heavy duty adjustable roll-in slide racks, aluminum & stainless steel



S-3131-R
 (with optional corner bumpers)

CATALOG PAGE D-9

Type	Aluminum Model Number	Stainless Steel Model Number	Slide Sets Furnished	Pan Spacing (Inches)	O.A. Dimensions (Inches) W x D x H	Weight (Pounds)		List Price	
						Alum	S/S	Alum	S/S
Adjustable Slides	S-3131-R	S-3131-R-SS	12	*4 ¹ / ₂	24 ¹ / ₄ x 26 ¹ / ₂ x 64 ³ / ₁₆	106	147	\$ 1,500	\$ 3,077
	S-3131-R-13	S-3131-R-13-SS	13	*4 ¹ / ₂	24 ¹ / ₄ x 26 ¹ / ₂ x 68 ¹¹ / ₁₆	112	157	1,580	3,235
Fixed Slides (for correctional)	S-3131-F	S-3131-F-SS	12	4 ¹ / ₂	24 ¹ / ₄ x 26 ¹ / ₂ x 64 ³ / ₁₆	106	147	1,686	3,232
	S-3131-F-13	S-3131-F-13-SS	13	4 ¹ / ₂	24 ¹ / ₄ x 26 ¹ / ₂ x 68 ¹¹ / ₁₆	112	157	1,762	3,399

*Adjustable on 1¹/₂" spacing.

NOTE 1: Each universal angle slides set can carry one (1) 18"x 26" bun pan or two (2) 12"x 20" steam pans/gastronorm pans (GN 1/1) or two (2) 14"x 18" trays or one (1) 20"x 22" pan or two (2) 10"x 20" pans.

NOTE 2: Capacity shown is for 18"x 26" bun pans. Capacity for 12"x 20" steam pan/gastronorm pans (2¹/₂" or 4" high) or 14"x 18" trays is twice the number shown on 4¹/₂" centers for these universal angle slide cabinets.

For options, see Table DD-1



Extra heavy duty stainless steel universal angle rack for correctional facilities

- 4" wide 14 ga. channel (1"x 4"x 1") uprights & 12 ga. s/s cross members.
- All welded s/s construction.
- 14 ga. s/s universal angle slides fixed at 4½" centers.
- Furnished with solid deck & wrap around bumper & 5" casters.



CATALOG PAGE D-27R

Model Number	Sets of Slides Furnished (see note)	Pan Spacing (Inches)	O.A. Dimensions (Inches) W x D x H	Weight (Pounds)	List Price
S-3131-EHD-12-F-SS	12	4½	26½ x 28 x 64	170	\$ 3,562

Options **List Price**
 Slides with integral pan stop at one end.....\$334

NOTE: Each universal angle slide set can carry one (1) 18"x 26" bun pan or two (2) 12"x 20"x 2½" (or 4") steam pans/gastronorm pans (GN 1/1).
 For options, see Table DD-1

S-3131-EHD-12-F-SS
 (with optional integral pan stop)



Deluxe, heavy duty universal angle roll-in refrigerator racks

- Furnished with solid deck, 5" casters & wrap around bumper.

CATALOG PAGE D-10

S-3131-R-12-DE

Type	Model Number		Sets of Slides Furnished	Pan Spacing (Inches)	O.A. Dimensions with Solid Deck & Bumper (Inches)			Weight (Pounds)		List Price	
	Aluminum	Stainless Steel			W	D	H	Alum	S/S	Alum	S/S
Adjustable	S-3131-R-12-DE	S-3131-R-12-DE-SS	12	*4½	26¾	27	64 ³ / ₁₆	110	149	\$ 1,793	\$ 3,301
	S-3131-R-13-DE	S-3131-R-13-DE-SS	13	*4½	26¾	27	68 ¹¹ / ₁₆	114	157	1,873	3,452
Fixed	S-3131-F-12-DE	S-3131-F-12-DE-SS	12	4½	26¾	27	64 ³ / ₁₆	110	149	1,898	3,807
	S-3131-F-13-DE	S-3131-F-13-DE-SS	13	4½	26¾	27	68 ¹¹ / ₁₆	114	157	1,973	3,754

*Adjustable on 1½" spacing.

NOTE 1: Each universal angle slides set can carry one (1) 18"x 26" bun pan or two (2) 12"x 20" steam pans/gastronorm pans (GN 1/1) or two (2) 14"x 18" trays or one (1) 20"x 22" pan or two (2) 10"x 20" pans.

NOTE 2: Capacity shown is for 18"x 26" bun pans. Capacity for 12"x 20" steam pan/gastronorm pans (2½" or 4" high) or 14"x 18" trays is twice the number shown on 4½" centers for these universal angle slide cabinets.

For options, see Table DD-1

Steam table pan racks for refrigeration, & blast chillers, stainless steel

- Furnished fully assembled with channel slides & 5" casters.

CATALOG PAGE D-17

Type	Model Number	Pan Size (Inches)	*Pan Capacity	Slide Spacing (Inches)	O.A. Dimensions (Inches)			Weight (Pounds)	List Price
					W	D	H		
Standard Duty	2089-32	12 x 20	32	3	24¼	26½	62¼	110	P.O.R.
	2089-20	12 x 20	20	5	24¼	26½	62¼	102	P.O.R.
Heavy Duty	2089-HD-32	12 x 20	32	3	24¼	26½	62¼	126	\$ 2,903
	2089-HD-20	12 x 20	20	5	24¼	26½	62¼	115	2,870

*Pan capacity based on 12"x 20"x 2½" pans side loaded 2/pair of slides.



2089-HD-20

NOTE: These steam table pan racks are also available in all aluminum construction. Add "-AL" after model number for this option & deduct 30% from list price.

For options, see Table DD-1



Single & double channel slide pan racks, aluminum & stainless steel

CATALOG PAGE D-8

Standard Duty Models (single rack)

Model Number		Pan Size (Inches)	Pan Capacity	Pan Spacing (Inches)	Overall Dimensions (Inches)			Weight (Pounds)		List Price	
Alum.	S/S				W	D	H	Alum	S/S	Alum	S/S
9582-39	2582-39	18 x 26	39	1½	20¾	26½	69 ⁷ / ₁₆	84	118	P.O.R.	P.O.R.
9582-35	2582-35	18 x 26	35	1½	20¾	26¼	64¼	80	114	P.O.R.	P.O.R.

Heavy Duty Models (single rack)

Model Number		Pan Size (Inches)	Pan Capacity	Pan Spacing (Inches)	Overall Dimensions (Inches)			Weight (Pounds)		List Price	
Alum.	S/S				W	D	H	Alum	S/S	Alum	S/S
9582-HD-38	2582-HD-38	18 x 26	38	1½	20¾	26½	69 ⁷ / ₁₆	84	118	\$1,120	\$2,498
9582-HD-34	2582-HD-34	18 x 26	34	1½	20¾	26½	64 ³ / ₁₆	81	115	1,091	2,480
** 9582-HD-1214	2582-HD-1214	12 x 20	14	3	16¾	23½	54 ³ / ₁₆	72	99	1,350	2,565
** 9582-HD-1208	2582-HD-1208	12 x 20	8	3	16¾	23½	36	60	85	1,253	2,443
** 9582-HD-1238	2582-HD-1238	12 x 20	*38	3	23¾	26½	69 ⁷ / ₁₆	94	119	1,507	3,041
** 9582-HD-1234	2582-HD-1234	12 x 20	*34	3	23¾	26½	64 ³ / ₁₆	92	115	1,458	2,933

Heavy Duty Models (double rack)

Model Number		Pan Size (Inches)	Pan Capacity	Pan Spacing (Inches)	Overall Dimensions (Inches)			Weight (Pounds)		List Price	
Alum.	S/S				W	D	H	Alum	S/S	Alum	S/S
9582-D-78	2582-D-78	18 x 26	78	1½	40¾	26½	69 ⁷ / ₁₆	105	140	\$1,982	\$3,980
9582-D-62	2582-D-62	18 x 26	62	1½	40¾	26½	57 ⁷ / ₁₆	101	130	1,937	3,864
** 9582-D-1278	2582-D-1278	12 x 20	*78	3	46⅞	26½	69 ⁷ / ₁₆	112	154	2,216	4,424
** 9582-D-1262	2582-D-1262	12 x 20	*62	3	46⅞	26½	57 ⁷ / ₁₆	106	142	2,128	4,209

*Pan capacity based on 2½" deep pans, 2 pans/pair of slides.

**Channel slides for steam pans are stainless steel on these aluminum models. Aluminum slides in lieu of stainless steel slides are also available at reduced price. Add "-AL" after model number. Consult factory.

For options, see Table DD-1

9582-D-1278

Tray service racks, non-tip trapezoid channel slide, aluminum & stainless steel

CATALOG PAGE D-18

Single Racks, End Loaded (except as noted)

Model Number		Pan Spacing (Inches)	*Pan Capacity		O.A. Dimensions (Inches)			Weight (Pounds)		List Price	
Aluminum	Stainless Steel		18"x26"	13"x18" or 14"x18"	W	D	H	Alum	S/S	Alum	S/S
9584-1820	2584-1820	3	20	40	20½	29	69 ⁷ / ₁₆	87	125	\$1,265	\$2,974
9584-1816	2584-1816	3	16	32	20½	29	57 ⁷ / ₁₆	81	110	1,234	2,790
9584-1812	2584-1812	5 ¹ / ₁₆	12	24	20½	29	69 ⁷ / ₁₆	80	108	1,241	2,737

*18"x26" bun pans are single end loaded. 13"x18" or 14"x18" pans are side loaded, 2 trays/pair of slides.

Double Racks

Model Number		Pan Spacing (Inches)	*Pan Capacity		O.A. Dimensions (Inches)			Weight (Pounds)		List Price	
Aluminum	Stainless Steel		18"x26"	13"x18" or 14"x18"	W	D	H	Alum	S/S	Alum	S/S
9172-1824	9172-SS-1824	5 ¹ / ₁₆	24	48	40¾	29	69 ⁷ / ₁₆	135	172	\$2,683	\$5,454
9172-1818	9172-SS-1818	5 ¹ / ₁₆	18	36	40¾	29	55	127	166	2,603	5,274

*18"x26" bun pans are single end loaded in each section. 13"x18" or 14"x18" pans are side loaded, 2 trays/pair of slides in each section.

NOTE: Racks are also available for 14"x22", 15"x20", 16"x22" and for many other sizes. Different spacing is also available. Please consult factory.

For options, see Table DD-1

1/20 ALL PRICES ARE F.O.B. FACTORY. PRICES AND SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE



9582-HD-38



9584-1812



9172-1824



Standard duty exceptional value racks, aluminum

- Choice of slides.
- Standard duty application.
- Fully assembled.
- 5" casters are standard.



CATALOG PAGE D-13

9587-SP-39

9587-CR-39

9587-LS-20

9587-UA-12

Type	Model Number	Pan Size (Inches)	Slide Spacing (Inches)	*Pan Capacity	O.A. Dimensions (Inches)			Weight (Pounds)	List Price
					W	D	H		
Angle Slide	9587-LS-20	18 x 26	3	20	20 ³ / ₈	26 1/2	69 ⁷ / ₁₆	91	\$ 810
	9587-LS-18	18 x 26	3	18	20 ³ / ₈	26 1/2	64 ³ / ₁₆	88	821
Extruded Side Panels	9587-SP-39	18 x 26	1 1/2	39	20 ³ / ₈	26 1/2	69 ⁷ / ₁₆	90	1,155
	9587-SP-35	18 x 26	1 1/2	35	20 ³ / ₈	26 1/2	64 ³ / ₁₆	85	1,184
Corrugated Sides	9587-CR-39	18 x 26	1 1/2	39	20 ³ / ₈	26 1/2	69 ⁷ / ₁₆	81	1,121
Channel Slides	9587-CS-38	18 x 26	1 1/2	38	20 ³ / ₈	26 1/2	69 ⁷ / ₁₆	89	968
	9587-CS-34	18 x 26	1 1/2	34	20 ³ / ₈	26 1/2	64 ³ / ₁₆	84	953
Universal Angle	9587-UA-12	Note 1	*4 1/2	12	26	26 1/2	64 1/4	98	1,495
	9587-UA-13		*4 1/2	13	26	26 1/2	68 3/4	104	1,586
Oval Tray Slide	9587-OT-10	Note 2	6	10	26 1/8	29	69 ⁷ / ₁₆	102	1,124

*Adjustable on 1 1/2" centers.

NOTE 1: Each set of universal angle slide will accommodate one (1) each 18"x 26" bun pan or 20"x 20" baking pan or glass rack, or (GN 2/1) pan or two (2) each 12"x 20" steam pan or 14"x 18" trays or 13 3/8"x 20 3/4" school baskets or (GN 1/1) pans.

NOTE 2: Oval tray rack will accommodate 20 3/4"x 25 1/2" and 22 3/4"x 27 5/8" oval trays.

For options, see Table DD-1



9587-CS-38

9585-OT-10

Half size utility racks, table top, tray top & outrigger style

CATALOG PAGE D-14

Style	Type of Slides	Model Number	Pan Capacity (18"x26")	Pan Spacing (Inches)	Caster Size (Inches)	O.A. Dimensions (Inches)			Weight (Pounds)	List Price
						W	D	H		
Tray Top Style (all aluminum)	Extruded Sides	9586-ER-18	18	1 1/2	5	20 ³ / ₈	26 1/2	36	68	\$ 1,077
		9586-ER-15	15	1 1/2	3	20 ³ / ₈	26 1/2	30	63	1,063
	Corrugated Sides	9586-CR-18	18	1 1/2	5	20 ³ / ₈	26 1/2	36	64	1,182
		9586-CR-15	15	1 1/2	3	20 ³ / ₈	26 1/2	30	60	1,160
	Angle Sides	9586-LS-10	10	3	5	20 ³ / ₈	26 1/2	38	54	966
		9586-LS-6	6	5 1/16	5	20 ³ / ₈	26 1/2	38 3/8	52	944
Table Top Style (aluminum frame with s/s top)	Extruded Sides	9586-ST-ER-18	18	1 1/2	5	20 ³ / ₈	26 1/2	36	71	1,375
		9586-ST-ER-15	15	1 1/2	3	20 ³ / ₈	26 1/2	30	66	1,359
	Corrugated Sides	9586-ST-CR-18	18	1 1/2	5	20 ³ / ₈	26 1/2	36	67	1,508
		9586-ST-CR-15	15	1 1/2	3	20 ³ / ₈	26 1/2	30	63	1,488
	Angle Ledge	9586-ST-LS-10	10	3	5	20 ³ / ₈	26 1/2	38	57	1,292
		9586-ST-LS-6	6	5 1/16	5	20 ³ / ₈	26 1/2	38 3/8	55	1,278
Out-Rigger Style (all aluminum)	Extruded Sides	9586-CS-ER-18	18	1 1/2	5	20 ³ / ₈	26 1/2	36	69	1,188
		9586-CS-CR-18	18	1 1/2	5	20 ³ / ₈	26 1/2	36	67	1,246
	Angle Ledge	9586-CS-LS-9	9	3	5	20 ³ / ₈	26 1/2	36	56	1,104
		9586-CS-LS-6	6	5 1/16	5	20 ³ / ₈	26 1/2	36	54	1,073



9586-ER-18



9586-ST-LS-6
 (Table Top Type)



9586-CS-CR-18
 (Outrigger Type)

Options

List Price

- A. All stainless steel construction (angle ledge slide models).....Add 85%
- B. S/S drop shelves, for table top style.....\$622
- C. For other options, see Table DD-1



Heavy duty roll-in racks for refrigerators, aluminum




9585-1820



9120-1839



S-3131-R
(with corner bumpers)



S4354-39

CATALOG PAGES D-15 & D-16

Type of Roll-in Refrigerator	Type Of Rack	Model Number (see note 2)	Pan			O.A. Dimensions (Inches)							List Price
			Size (Inches)	Capacity	Spacing on Centers (Inches)	Height (Inches)	Standard Rack		With Optional Corner Bumpers		With Optional Solid Deck & Perimeter Bumper		
							Width	Depth	Width	Depth	*Width	*Depth	
Traulsen (High Type) Foster Minimum Clearance 27" W x 29" D x 69 1/2" H	Angle Slide	9585-1820	18 x 26	20	3	69 1/16	20 3/4	26 1/2	22 1/4	28	23 1/4	28 3/4	\$ 1,052
	Angle Slide	9585-1812	18 x 26	12	5 1/16	69 1/16	20 3/4	26 1/2	22 1/4	28	23 1/4	28 3/4	1,063
	Universal Angle	S-3131-R-13	Note 1	Note 1	1 1/2	68 1/16	24 1/4	26 1/2	26	28	26 3/8	28 3/4	1,580
	Corrugated	9120-1839	18 x 26	39	1 1/2	69 1/16	20 3/8	26 1/2	22 1/8	28	23 1/4	28 3/4	1,274
	Channel	9582-HD-38	18 x 26	38	1 1/2	69 1/16	20 3/8	26 1/2	22 1/8	28	23 1/4	28 3/4	1,120
Traulsen (Low Type) Glenco, McCall, Victory, Hobart Min. Clearance 27 1/4" W x 29" D x 65 1/4" H	Extruded Side	S-4354-39	18 x 26	39	1 1/2	69 1/16	20 3/4	26 1/2	22 1/4	28	23 1/4	28 3/4	1,200
	Angle Slide	9585-1818	18 x 26	18	3	64 3/16	20 3/4	26 1/2	22 1/4	28	23 1/4	28 3/4	1,057
	Angle Slide	9585-1811	18 x 26	11	5 1/16	64 3/16	20 3/4	26 1/2	22 1/4	28	23 1/4	28 3/4	1,046
	Universal Angle	S-3131-R	Note 1	Note 1	1 1/2	64 3/16	24 1/4	26 1/2	26	28	26 3/8	28 3/4	1,500
	Corrugated	9120-1835	18 x 26	35	1 1/2	64 3/16	20 3/8	26 1/2	22 1/8	28	23 1/4	28 3/4	1,326
	Channel	9582-HD-34	18 x 26	34	1 1/2	64 3/16	20 3/8	26 1/2	22 1/8	28	23 1/4	28 3/4	1,091
	Extruded Side	S-4354-35	18 x 26	3	1 1/2	64 3/16	20 3/4	26 1/2	22 1/4	28	23 1/4	28 3/4	1,225

*If solid deck without wrap around bumper deduct 2" from width & depth dimensions.

NOTE 1: Universal angle rack S-3131-R has adjustable slides & can carry 18" x 26" bun pans, 14" x 18" trays, 10" x 20" & 20" x 20" pans. Twelve (12) sets of angles are furnished with top, middle & bottom angles fixed & remaining adjustable on 1 1/2" centers. (S-3131-R-13 is furnished with 13 sets).

NOTE 2: Deluxe racks with solid deck, perimeter bumper & with a maximum depth of 27" (including bumper) are available. For this option, add "-DE" after model number.

NOTE 3: Economically priced & extra heavy duty aluminum racks & s/s racks are also available. Consult factory. For other options, see Table DD-1

Bulk storage poly food box racks aluminum & stainless steel

CATALOG PAGE D-12

Type	Model Number		Box Size & Capacity	Box Spacing (Inches)	O.A. Dimensions (Inches)			Weight (Pounds)		List Price	
	Alum	S/S			W	D	H	Alum	S/S	Alum	S/S
Standard Duty	9583-8	2583-8	Note 1	7 1/2	20 3/8	26 1/2	68 5/16	69	103	P.O.R.	P.O.R.
	9583-4	2583-4	Note 2	7 1/2	20 3/8	26 1/2	39 3/4	54	79	P.O.R.	P.O.R.
Heavy Duty	9583-HD-8	2583-HD-8	Note 1	7 1/2	20 3/8	26 1/2	69 7/16	73	108	\$ 1,297	\$ 2,552
	9583-HD-4	2583-HD-4	Note 2	7 1/2	20 3/8	26 1/2	40 3/4	57	84	1,085	2,216

NOTE 1: 8 boxes: 18" x 26" x 6" or 16 boxes: 18" x 13" x 6" or 4 boxes: 18" x 26" x 9" or 2 boxes: 18" x 26" x 15".

NOTE 2: 4 boxes: 18" x 26" x 6" or 6 boxes: 18" x 13" x 6" or 1 box: 18" x 26" x 6" and 1 box: 18" x 26" x 15".

These units are designed for poly food boxes made by Cambro or Rubbermaid only. Please send sample box(es) with the order for proper fit. For options, see Table DD-1



9583-HD-8



Large angle slide food box racks

- All aluminum construction.
 - Extra large slides to carry 18" x 26" x 6" food boxes/lugs.
 - 5" casters are standard.
- (Will also carry standard 18" x 26" bun pans).

CATALOG PAGE D-2R

Type of Rack	Model Number	Spacing on Centers (Inches)	Lug Capacity 18"x26"x6"	O.A. Dimensions (Inches) W x D x H	Weight (Pounds)	List Price
Single	9583-LA-9	6½	9	20 ⁵ / ₈ x 26½ x 69 ⁷ / ₁₆	127	\$ 1,517
Double	9583-D-LA-18	6½	18	40 ³ / ₄ x 26½ x 69 ⁷ / ₁₆	189	2,898
Triple	9583-3-LA-27	6½	27	59 ³ / ₈ x 26½ x 69 ⁷ / ₁₆	253	3,973



DOUBLE RACK

Large angle slide combination racks

(for 18" x 26" bun pans & 12" x 20" steam pans)

- All aluminum construction.
- 5" casters are standard.
- 18" x 26" bun pans rest on slides.
- 12" x 20" steam pans are lip loaded.

CATALOG PAGE D-2R

Model Number	Slide Spacing (Inches)	*Capacity	O.A. Dimensions (Inches) W x D x H	Weight (Pounds)	List Price
9585-LA-20	3	20	20 ⁵ / ₈ x 26½ x 69 ⁷ / ₁₆	105	\$ 1,218
9585-LA-18	3	18	20 ⁵ / ₈ x 26½ x 64 ³ / ₁₆	99	1,155
9585-LA-12	5 ¹ / ₁₆	12	20 ⁵ / ₈ x 26½ x 69 ⁷ / ₁₆	93	1,111
9585-LA-11	5 ¹ / ₁₆	11	20 ⁵ / ₈ x 26½ x 64 ³ / ₁₆	89	1,103



9585-LA-12

*Capacity is based on one 18" x 26" bun pan or one 12" x 20" x 2½" steam pans.

Option A: Slides riveted & welded for correctional/ heavy duty use. Add 15% to prices and add "-SD" after model number.

Option B: Roll-in rack with "in-set" casters add \$120 and add "-RI" after model number.

Option C: Stainless steel construction, add 80%.

For other options see table DD-1.

Heavy duty lug rack

- Ideal for 16" x 25" x 8" lugs.
- 5" casters are standard.
- All welded aluminum construction.
- Lugs are lip loaded.

CATALOG PAGE D-2R

Model Number	Pan Spacing (Inches)	Capacity	O.A. Dimensions (Inches) W x D x H	Weight (Pounds)	List Price
9585-6-10-1625	10	6	19¼ x 26½ x 69 ⁷ / ₁₆	79	\$ 867



9585-6-10-1625

Extra heavy duty lug rack (for 15" x 20" x 5" lugs)

- Extra heavy duty all welded construction.
- Furnished with large angle slides for lugs to rest on.
- 5" casters are standard.
- Provided with vertical side reinforcement.

CATALOG PAGE D-2

Model Number	Pan Spacing (Inches)	Capacity	O.A. Dimensions (Inches) W x D x H	Weight (Pounds)	List Price
9585-EHD-LA-10	6	10	18¼ x 23½ x 69 ⁷ / ₁₆	85	\$1,579



9585-EDD-LA-10

(with optional corner bumpers & pan stop)

For options, see Table DD-1



Double racks, corrugated sides & extruded side panels, all aluminum



CATALOG PAGE D-20

S4354-D-1878

Extruded Side Rack Model Number	Corrugated Sides Rack Model Number	*Pan Capacity	Pan Size (Inches)	O.A. Dimensions (Inches)			List Price	
				W	D	H	Extruded Side Rack	Corrugated Sides Rack
S-4354-D-1878	9120-D-1878	78	18 x 26	40 ⁷ / ₈	26 ¹ / ₄	69 ⁷ / ₁₆	\$2,220	\$2,321
S-4354-D-1862	9120-D-1862	62	18 x 26	40 ⁷ / ₈	26 ¹ / ₄	57 ⁷ / ₁₆	2,283	P.O.R

9120-D-1878

Heavy duty double & triple section racks for hospitals & institutional use

CATALOG PAGE D-19

Double Section End Loading Racks (except as noted)



2585-D-1614
(with options)

Aluminum Model No.	Stainless Steel Model No.	Pan Size (Inches)	Pan Capacity	Spacing (Inches)	O.A. Dimensions (Inches)			Weight (Pounds)		List Price	
					W	D	H	Alum	S/S	Alum	S/S
9585-D-1840	2585-D-1840	18 x 26	40	3	40 ³ / ₄	26 ¹ / ₂	69 ⁷ / ₁₆	126	265	\$ 1,972	\$ 4,078
9585-D-1832	2585-D-1832	18 x 26	32	3	40 ³ / ₄	26 ¹ / ₂	57 ³ / ₁₆	115	242	1,918	3,964
9585-D-1824	2585-D-1824	18 x 26	24	5 ¹ / ₁₆	40 ³ / ₄	26 ¹ / ₂	69 ⁷ / ₁₆	107	222	1,897	3,924
9585-D-1822	2585-D-1822	18 x 26	22	5 ¹ / ₁₆	40 ³ / ₄	26 ¹ / ₂	64 ⁷ / ₁₆	102	201	1,864	3,864
9585-D-1848	2585-D-1848	18 x 26	48	2 ¹ / ₂	40 ³ / ₄	26 ¹ / ₂	69 ⁷ / ₁₆	135	295	2,040	4,226
9585-D-1844	2585-D-1844	18 x 26	44	2 ¹ / ₂	40 ³ / ₄	26 ¹ / ₂	64 ⁷ / ₁₆	132	290	2,002	4,135
9585-D-1448	2585-D-1448	*14 x 18	48	5 ¹ / ₁₆	40 ³ / ₄	29	69 ⁷ / ₁₆	140	305	2,040	4,256
9585-D-1436	2585-D-1436	*14 x 18	36	5 ¹ / ₁₆	40 ³ / ₄	29	55	124	255	1,972	4,082
9585-D-1548	2585-D-1548	*15 x 20	48	5 ¹ / ₁₆	44 ³ / ₄	31	69 ⁷ / ₁₆	127	285	2,329	4,824
9585-D-1540	2585-D-1540	*15 x 20	40	5 ¹ / ₁₆	44 ³ / ₄	31	59 ⁷ / ₁₆	122	260	2,291	4,736
9585-D-1424	2585-D-1424	14 x 18	24	5 ¹ / ₁₆	32 ³ / ₄	21 ¹ / ₂	69 ⁷ / ₁₆	109	218	2,157	4,349
9585-D-1422	2585-D-1422	14 x 18	22	5 ¹ / ₁₆	32 ³ / ₄	21 ¹ / ₂	59	95	190	2,135	4,282
9585-D-1524	2585-D-1524	15 x 20	24	5 ¹ / ₁₆	34 ³ / ₄	23 ¹ / ₂	69 ⁷ / ₁₆	114	224	2,195	4,419
9585-D-1518	2585-D-1518	15 x 20	18	5 ¹ / ₁₆	34 ³ / ₄	23 ¹ / ₂	55	92	185	2,157	4,349
9585-D-1618	2585-D-1618	16 x 22	18	5 ¹ / ₁₆	36 ³ / ₄	23 ¹ / ₂	55	94	187	2,342	4,954
9585-D-1614	2585-D-1614	16 x 22	14	5 ¹ / ₁₆	36 ³ / ₄	23 ¹ / ₂	45	91	182	2,092	4,421
9585-D-1048	2585-D-1048	*10 x 14	48	5 ¹ / ₁₆	32 ³ / ₄	23 ¹ / ₂	69 ⁷ / ₁₆	112	220	2,207	4,530

*2 trays side by side on same pair of angles.

Triple Section End Loading Racks

Aluminum Model No.	Stainless Steel Model No.	Pan Size (Inches)	Pan Capacity	Spacing (Inches)	O.A. Dimensions (Inches)			Weight (Pounds)		List Price	
					W	D	H	Alum	S/S	Alum	S/S
9585-3-1848	2585-3-1848	18 x 26	48	3	59 ³ / ₈	26 ¹ / ₂	57 ³ / ₁₆	171	335	\$ 3,089	\$ 6,116
9585-3-1827	2585-3-1827	18 x 26	27	5 ¹ / ₁₆	59 ³ / ₈	26 ¹ / ₂	55	161	310	2,951	5,913
9585-3-1427	2585-3-1427	14 x 18	27	5 ¹ / ₁₆	47 ³ / ₄	23 ¹ / ₂	55	155	300	3,000	5,799
9585-3-1527	2585-3-1527	15 x 20	27	5 ¹ / ₁₆	51 ¹ / ₂	23 ¹ / ₂	55	159	304	2,932	5,873
9585-3-1627	2585-3-1627	16 x 22	27	5 ¹ / ₁₆	54 ¹ / ₂	23 ¹ / ₂	55	151	298	3,013	6,011
9585-3-1624	2585-3-1624	16 x 22	24	6	54 ¹ / ₂	23 ¹ / ₂	57 ³ / ₁₆	141	285	3,031	6,071
9585-3-1227	2585-3-1227	12 x 19 12 x 20	27	5 ¹ / ₁₆	42 ¹ / ₂	23 ¹ / ₂	55	153	300	2,982	6,112
9585-3-1727	2585-3-1727	17 ¹ / ₂ x21	27	5 ¹ / ₁₆	58 ³ / ₄	23 ¹ / ₂	55	170	334	3,178	6,269



9585-3-1624
(with options)

NOTE: All of these racks are available with riveted & welded construction for correctional facilities. Add “-SD” after model number & add 15% to list prices.

For options, see Table DD-1

All racks listed on this page have fully welded frame at top & bottom & are furnished with 5” casters.




Duplex racks, tray service
 (enclosed on 3 sides with vinyl & furnished with 5" casters)

CATALOG PAGE D-21

End loading (one tray/pair of slides).

Model Number		Pan Size (Inches)	Pan Capacity	Pan Spacing (Inches)	O.A. Dimensions (Inches)			Weight (Pounds)	List Price	
Trapezoid Slide	Angle Slide				W	D	H		Trapezoid Slide	Angle Slide
9170-1424	9171-1424	14 x 18	24	5 ¹ / ₁₆	32½	18½	69 ⁷ / ₁₆	125	\$ 3,422	\$ 2,977
9170-1420	9171-1420	14 x 18	20	6	32½	18½	69 ⁷ / ₁₆	122	3,671	3,178
9170-1524	9171-1524	15 x 20	24	5 ¹ / ₁₆	34½	23	69 ⁷ / ₁₆	132	3,468	3,013
9170-1520	9171-1520	15 x 20	20	6	34½	23	69 ⁷ / ₁₆	127	3,711	3,220
9170-1624	9171-1624	16 x 22	24	5 ¹ / ₁₆	36½	26½	69 ⁷ / ₁₆	137	3,531	3,064
9170-1620	9171-1620	16 x 22	20	6	36½	26½	69 ⁷ / ₁₆	133	3,764	3,268
9170-2224	9171-2224	14 x 22	24	5 ¹ / ₁₆	32½	26½	69 ⁷ / ₁₆	128	3,750	3,254
9170-2220	9171-2220	14 x 22	20	6	32½	26½	69 ⁷ / ₁₆	124	3,993	3,463



9170-1424

Double Side Loading (two trays/pair of slides).

Model Number		Pan Spacing (Inches)	*Pan Capacity		O.A. Dimensions (Inches)			Weight (Pounds)	List Price	
Trapezoid Slide	Angle Slide		18"x26"	13"x18" or 14"x18"	W	D	H		Trapezoid Slide	Angle Slide
9170-1824	9171-1824	5 ¹ / ₁₆	24	48	40¾	29	69 ⁷ / ₁₆	135	\$ 3,958	\$ 3,522
9170-1820	9171-1820	6	20	40	40¾	29	69 ⁷ / ₁₆	133	4,156	3,702
9170-1818	9171-1818	5 ¹ / ₁₆	18	36	40¾	29	57 ⁷ / ₁₆	128	3,912	3,481

*18" x 26" bun pans are single end loaded. 13" x 18" or 14" x 18" pans are side loaded, 2 pans/pair of slides.

NOTE: These racks are also available in s/s construction with or without vinyl. Consult factory.

For options, see Table DD-1



9170-1824

Bussing racks, aluminum & stainless steel
 (enclosed on 3 sides & furnished with 5" casters)

CATALOG PAGE D-22

Model Number		Tray Size (Inches)	Slide Spacing (Inches)	Capacity	O.A. Dimensions (Inches)			Weight (Pounds)	List Price	
Aluminum	S/S				W	D	H		Alum.	S/S
9156-EN-1820	9156-EN-SS-1820	18 x 26	3	20	22	30 ³ / ₈	69 ³ / ₈	120	\$ 1,922	\$ 3,555
9156-EN-1812	9156-EN-SS-1812	18 x 26	5 ¹ / ₁₆	12	22	30 ³ / ₈	69 ³ / ₈	105	1,876	3,469
9156-EN-1810	9156-EN-SS-1810	18 x 26	5 ¹ / ₁₆	10	22	30 ³ / ₈	59 ³ / ₈	102	2,067	3,824
9156-EN-1424	9156-EN-SS-1424	*14 x 18	5 ¹ / ₁₆	24	22	32 ³ / ₈	69 ³ / ₈	112	1,936	3,580
9156-EN-1420	9156-EN-SS-1420	*14 x 18	5 ¹ / ₁₆	20	22	32 ³ / ₈	59 ³ / ₈	107	2,128	3,935
9156-EN-1440	9156-EN-SS-1440	*14 x 18	3	40	22	32 ³ / ₈	69 ³ / ₈	120	2,195	4,062
9156-EN-1432	9156-EN-SS-1432	*14 x 18	3	32	22	32 ³ / ₈	57 ³ / ₈	116	2,258	4,175

*2 trays side loaded/pair of slides.

NOTE: Racks with different spacings & for other tray sizes are also available. Consult factory. For options, see Table DD-1

Trapezoid Channel Slide Models		List Price
For "No-Tip" special channel slides for trapezoid trays add "-TZ" after the model number.		Add 10%

Oval tray vertical storage racks
 aluminum & stainless steel

CATALOG PAGE D-25

Ideal for 20³/₄" x 25¹/₂" or 22³/₄" x 27⁵/₈" oval trays.

Model Number		Storage Capacity	O.A. Dimensions (Inches) W x D x H	Weight (Pounds)		List Price	
Alum	S/S			Alum	S/S	Alum	S/S
9565-OT-40	9565-SS-OT-40	40	25 x 29 x 38	72	97	\$ 1,634	\$ 2,886
9565-OT-80	9565-SS-OT-80	80	25 x 29 x 64	117	170	2,517	4,028



9565-SS-OT-40

9565-SS-OT-80

For options, see Table DD-1

All racks listed on this page have fully welded frame at top & bottom & are furnished with 5" casters.



Duplex stainless steel bussing racks with solid slides, deck & top (open front & back)

- S/S construction
- Solid 2 sides with 18 ga. formed side panels
- 14 ga s/s deck & 18 ga s/s solid top
- Double section rack
- 5" swivel casters

CATALOG PAGE D-21A

End loading (one tray/pair of slides).

Model Number	Pan Size (Inches)	Pan Capacity	Pan Spacing (Inches)	O.A. Dimensions (Inches)			Weight (Pounds)	List Price
				W	D	H		
2585-SP-D-1424	14 x 18	24	5 ¹ / ₁₆	33 ³ / ₄	22	68 ⁷ / ₁₆	194	\$ 6,111
2585-SP-D -1420	14 x 18	20	6	33 ³ / ₄	22	68 ⁷ / ₁₆	188	6,069
2585-SP-D -1524	15 x 20	24	5 ¹ / ₁₆	35 ³ / ₄	24 ³ / ₈	68 ⁷ / ₁₆	199	6,398
2585-SP-D -1520	15 x 20	20	6	35 ³ / ₄	24 ³ / ₈	68 ⁷ / ₁₆	192	6,366
2585-SP-D -1624	16 x 22	24	5 ¹ / ₁₆	37 ³ / ₄	26 ³ / ₈	68 ⁷ / ₁₆	210	6,588
2585-SP-D -1620	16 x 22	20	6	37 ³ / ₄	26 ³ / ₈	68 ⁷ / ₁₆	202	6,537
2585-SP-D-1224	12 ¹ / ₂ x 17 ⁷ / ₈	24	5 ¹ / ₁₆	30 ³ / ₄	22	68 ⁷ / ₁₆	180	6,018
2585-SP-D-1220	12 ¹ / ₂ x 17 ⁷ / ₈	20	6	30 ³ / ₄	22	68 ⁷ / ₁₆	176	5,895



2585-SP-D-1224
(shown with optional corner bumper & rear pan stops)

Option:

List Price

1. Vertical pan stop (one in each section).....\$516
2. Solid back.....\$562

For other options, see table DD-1

3 sides enclosed stainless steel duplex bussing racks.

- S/S Construction
- 18 ga s/s sides & top
- 14 ga s/s deck
- Double section rack
- 5" swivel casters
- One push handle

CATALOG PAGE D-21A

Double Side Loading (two trays/pair of slides).

Model Number	Pan Spacing (Inches)	*Pan Capacity		O.A. Dimensions (Inches)			Weight (Pounds)	List Price
		*18"x26"	13"x18" or 14"x18"	W	D	H		
2585-EN-D-1824	5 ¹ / ₁₆	24	48	40 ³ / ₄	29 ¹ / ₂	69 ⁵ / ₈	270	\$ 6,368
2585-EN-D-1820	6	20	40	40 ³ / ₄	29 ¹ / ₂	69 ⁵ / ₈	265	6,275
2585-EN-D-1818	5 ¹ / ₁₆	18	36	40 ³ / ₄	29 ¹ / ₂	57 ⁵ / ₈	250	6,087



2585-EN-D-1824

*18"x 26" bun pans are single end loaded. 13"x 18" or 14"x 18" pans are side loaded, 2 pans/pair of slides.

NOTE: These racks are also available for other tray sizes & spacing. Consult factory.

For options, see Table DD-1



Can dispensing racks

CATALOG PAGE D-26

Rear Loading, Self Feeding

Type of Unit	Model Number	Capacity		Type of Top	O.A. Dimensions (Inches)			Weight (Pounds)	List Price
		#10 Cans	#5 Cans		W	D	H		
Stationary	9560-216	162	216	None	25½	37¼	72	100	\$ 1,801
	9560-240	180	240	None	25½	37¼	79½	113	1,925
Mobile	9560-M-72	72	96	*Aluminum	25½	37¼	40½	89	1,545
	9560-M-54	54	72	*Aluminum	25½	37¼	35	83	1,525



9560-216

Front Loading/Unloading, FIFO (first in, first out) Type.

Type of Unit	Model Number	Capacity		Type of Top	O.A. Dimensions (Inches)			Weight (Pounds)	List Price
		#10 Cans	#5 Cans		W	D	H		
Stationary	9560-285-FF	195	285	None	25½	41¼	86½	111	\$ 3,347
	9560-228-FF	156	228	None	25½	41¼	69½	100	3,181
	9560-171-FF	117	171	None	25½	41¼	52½	91	3,056



9560-M-72

*For mobile units optional stainless steel top is available in lieu of aluminum top, add \$152 to list price.
 All s/s construction is also available. Add 85%. For other options, see Table DD-1

Options


List Price

1. Edlund #S-11 can opener.....\$1,430
2. Alum. Top.....213
3. S/S top.....422
4. Removable shelf inserts.....P.O.R.
 (for smaller cans)

Syrup tank storage rack, all aluminum

CATALOG PAGE D-28

Model Number	Capacity (No. of tanks)	O.A. Dimensions (Inches)			Weight (Pounds)	List Price
		D	W	H		
9359-10	10 full & 10 empty	24¼	50¼	56	105	\$ 1,910



9359-10

Options

List Price

1. Accessory flat top shelf (height= 70"). Provides over 8 sqft. of storage space..... \$382
2. Accessory top shelf with brackets to store 5 more empty tank (height= 72").....283

Syrup "Bag-In-Box" storage rack, all aluminum

(for 11"x 15½"x 8"H boxes)

CATALOG PAGE D-28

Model Number	Capacity (No. of tanks)	O.A. Dimensions (Inches)			Weight (Pounds)	List Price
		D	W	H		
9562-8	8 Boxes	24¼	31	57½	84	\$ 1,895
9562-12	12 Boxes	24¼	43½	57½	102	2,373
9562-20	20 Boxes	24¼	56	69¼	168	3,622



9562-12

Fish/Poultry rack

(All stainless steel, construction)

CATALOG PAGE D-28

Furnished with 3 lugs & quick disconnect hose (shipped loose).

Type	Model#	O.A. Dimensions (Inches)			Shelf Clearance (Inches)	Weight (Pounds)	List Price
		W	D	H			
Stationary	9564-3-F	38½	21½	58¾	15¼	138	\$ 3,107
Mobile	9564-3-M	38½	21½	58¾	15¼	146	3,301



9564-3-M



Three sides enclosed dual (twin) section (clam shell type) carts, stainless steel

- All welded s/s construction.
- Furnished in 2 sections.
- 5" casters are standard.

CATALOG PAGE D-24

Tray Size (Inches)	Spacing (Inches)	Model Number	*Capacity	O.A. Dimensions (Inches)			Weight (Pounds)	List Price
				W	*D	H		
14 x 18	4½	9260-SS-TZ-EN-1414	14	21½	31	40½	165	\$ 5,929
14 x 18	4½	9260-SS-TZ-EN-1420	20	21½	31	54	180	6,479
15 x 20	4½	9260-SS-TZ-EN-1514	14	23½	33	40 ½	175	5,509
15 x 20	4½	9260-SS-TZ-EN-1520	20	23½	33	54	190	5,956
16 x 22	4½	9260-SS-TZ-EN-1614	14	25¼	35	40 ½	187	5,627
16 x 22	4½	9260-SS-TZ-EN-1620	20	25¼	35	54	205	5,929
18 x 26	4½	9260-SS-TZ-EN-1814	14	29½	39	40 ½	241	5,646
18 x 26	4½	9260-SS-TZ-EN-1820	20	29½	39	54	260	6,073
20 x 20	4½	9260-SS-TZ-EN-2014	14	23½	43	40 ½	195	5,693
20 x 20	4½	9260-SS-TZ-EN-2020	20	23½	43	54	215	6,226

*Depth and capacity is based on 2 section joined together. Each section will carry half the capacity shown. Carts are also available in aluminum construction. Consult factory. For non-separable sections (2 fixed hinges @ spine) Add \$276. For other options, see Table DD-1



9260-SS-TZ-EN-1820

Room service tray racks, single & double

- Heavy duty all welded construction.
- Large angle slides to accommodate tapered trays.
- 5" casters are standard

CATALOG PAGE D-25

Type	Model Number	Tray Size (Inches)	Capacity	Spacing (Inches)	O.A. Dimensions (Inches)			Weight (Pounds)	List Price
					W	D	H		
Single Rack	9585-LA-1523-20	*15½ x 23½	20	6	26¼	32	69 ⁷ / ₁₆	90	\$ 1,427
	9585-LA-1628-20	*16½ x 28	20	6	30¾	34	69 ⁷ / ₁₆	120	1,427
	9585-LA-1628-9	16½ x 28	9	6	30¾	18½	64 ³ / ₁₆	79	1,294
	9585-LA-1822-10	18 x 22½	12	6	25¼	18½	69 ⁷ / ₁₆	88	1,286
Double Rack	9585-D-LA-1523-20	15½ x 23½	20	6	35¾	26½	69 ⁷ / ₁₆	168	1,412
	9585-D-LA-1628-20	16½ x 28	20	6	37¾	29	69 ⁷ / ₁₆	155	1,560

*2 trays side loaded/pair of slides.

NOTES: 1. These racks are also available in s/s construction. Consult factory.
 2. Racks can be tailor made to suit different tray sizes, capacities & spacings. Consult factory. Sample trays are required with order. For options, see Table DD-1



9585-LA-1822-10
(with optional corner bumper & pan stop)

Fruit platter racks for banquet service, aluminum

- Heavy duty construction.
- Furnished with 5" casters.

Ideal for storing & transporting
 cold food platter (15½"x 22¾")
 for banquet service.

CATALOG PAGE D-25

Model Number	Type of Loading	Capacity	Spacing (Inches)	O.A. Dimensions (Inches)			Weight (Pounds)	List Price
				W	D	H		
S-4100-UA-15-18	Single End	18	3	20¾	26½	64 ³ / ₁₆	91	\$ 1,548
S-4100-UA-15-15	Single End	15	4	20¾	26½	69 ⁷ / ₁₆	103	1,531
S-4100-UA-15-30	Double End	*30	4	25¼	31	69 ⁷ / ₁₆	130	1,768
S-4100-UA-15-24	Double End	*24	5 ¹ / ₁₆	25¼	31	69 ⁷ / ₁₆	114	1,675

*2 trays side by side/pair of slides.

NOTE: All racks will accommodate single 18"x 26" bun pans, end loaded. Custom size racks for roll-in refrigerators are also available. Consult factory.

For options, see Table DD-1



S4100-UA-15-24



Extra heavy duty aluminum tray drying racks for correctional & institutional use



9040-HD-FR-176-1315



9047-HD-FR-264-1014

CATALOG PAGES D-29 & D-30

Extra Heavy Duty Racks with Extruded Panel Shelves (all shelves fixed)

Model Number	Tray/Pan Size (Inches)	Pan Capacity	Pan Spacing (Inches)	Number of Sections	Type of Loading	O.A. Dimensions (Inches)			Weight (Pounds)	List Price	
						D	L	H			
9040-HD-FR-264-1013	10 ¹ / ₁₆ x 13 ⁷ / ₈ x 1 ¹ / ₈	264	1 ¹ / ₂	3	Side	24 ³ / ₈	73 ¹ / ₄	57	229	\$ 4,044	
9040-HD-FR-264-1014	10 x 14 ¹ / ₂ x 1 ⁵ / ₁₆	264	1 ¹ / ₂	3	Side	24 ³ / ₈	73 ¹ / ₄	58 ¹³ / ₁₆	231	4,079	
9040-HD-FR-264-1115	11 ⁵ / ₈ x 15 ¹ / ₂ x 3 ³ / ₄	264	1 ¹ / ₂	3	Side	24 ³ / ₈	73 ¹ / ₄	61 ¹³ / ₁₆	236	4,110	
9040-HD-FR-288-1014	10 x 14 ¹ / ₂ x 1 ⁵ / ₁₆	288	1 ¹ / ₂	3	Side	24 ³ / ₈	79 ¹ / ₄	58 ¹³ / ₁₆	285	4,247	
9040-HD-FR-352-1014	10 x 14 ¹ / ₂ x 1 ⁵ / ₁₆	352	1 ¹ / ₂	4	Side	26 ¹ / ₂	73 ¹ / ₄	75 ⁵ / ₈	320	4,576	
9040-HD-FR-384-1014	10 x 14 ¹ / ₂ x 1 ⁵ / ₁₆	384	1 ¹ / ₂	4	Side	26 ¹ / ₂	79 ¹ / ₄	75 ⁵ / ₈	348	4,744	
9040-HD-FR-416-1014	10 x 14 ¹ / ₂ x 1 ⁵ / ₁₆	416	1 ¹ / ₂	4	Side	26 ¹ / ₂	85 ¹ / ₄	75 ⁵ / ₈	369	5,075	
9040-HD-FR-576-1014	10 x 14 ¹ / ₂ x 1 ⁵ / ₁₆	576	1 ¹ / ₂	4	Side	33	79 ¹ / ₄	75 ⁵ / ₈	426	6,117	
9040-HD-FR-264-1418	14 x 18	264	1 ¹ / ₂	3	Side	28 ³ / ₈	73 ¹ / ₄	70 ³ / ₁₆	235	4,576	
9040-HD-FR-264-1520	15 x 20	264	1 ¹ / ₂	3	Side	31	73 ¹ / ₄	76 ¹ / ₂	246	4,695	
9040-HD-FR-132-1622	16 x 22	132	1 ¹ / ₂	3	End	24 ³ / ₈	73 ¹ / ₄	63 ³ / ₈	228	4,491	
9040-HD-FR-132-1826	18 x 26	132	1 ¹ / ₂	3	End	26 ¹ / ₂	73 ¹ / ₄	70	228	4,075	
9040-HD-FR-120-1826	18 x 26	120	1 ¹ / ₂	3	End	26 ¹ / ₂	67 ¹ / ₄	70	237	3,787	
9040-HD-FR-96-1315	13 ⁷ / ₈ x 15 ¹ / ₄ x 2 ¹ / ₂ (Alladin/Tivoli)	96	3	3	Side	29 ¹ / ₈	55 ¹ / ₄	60 ³ / ₁₆	200	3,782	
9040-HD-FR-120-1315		120	3	3	Side	28 ³ / ₈	67 ¹ / ₄	60 ³ / ₁₆	210	4,153	
9040-HD-FR-132-1315		132	3	3	Side	28 ³ / ₈	73 ¹ / ₄	60 ³ / ₁₆	220	4,347	
9040-HD-FR-176-1315		176	3	4	Side	28 ³ / ₈	73 ¹ / ₄	77 ³ / ₁₆	335	4,754	
9040-HD-FR-192-1315		192	3	4	Side	28 ³ / ₈	79 ¹ / ₄	77 ³ / ₁₆	350	4,988	
9040-HD-FR-208-1315		208	3	4	Side	28 ³ / ₈	85 ¹ / ₄	77 ³ / ₁₆	365	5,098	
9040-HD-FR-216-1013	10 ¹ / ₁₆ x 13 ⁷ / ₈ x 1 ¹ / ₈	216	1 ¹ / ₂	3	Side	24 ³ / ₈	61 ¹ / ₄	57	201	3,890	
9040-HD-FR-216-1014	10 x 14 ¹ / ₂ x 1 ⁵ / ₁₆	216	1 ¹ / ₂	3	Side	24 ³ / ₈	61 ¹ / ₄	58 ¹³ / ₁₆	206	3,935	
9040-HD-FR-216-1115	11 ⁵ / ₈ x 15 ¹ / ₂ x 3 ³ / ₄	216	1 ¹ / ₂	3	Side	24 ³ / ₈	61 ¹ / ₄	61 ¹³ / ₁₆	210	3,980	
9040-HD-FR-160-1013	10 ¹ / ₁₆ x 13 ⁷ / ₈ x 1 ¹ / ₈	160	1 ¹ / ₂	4	End	26 ¹ / ₂	37 ¹ / ₄	57 ³ / ₈	220	3,752	
9040-HD-FR-160-1014	10 x 14 ¹ / ₂ x 1 ⁵ / ₁₆	160	1 ¹ / ₂	4	End	29 ¹ / ₈	37 ¹ / ₄	60 ¹ / ₈	218	3,790	
9040-HD-FR-160-1115	11 ⁵ / ₈ x 15 ¹ / ₂ x 3 ³ / ₄	160	1 ¹ / ₂	4	End	31	37 ¹ / ₄	63 ³ / ₈	224	3,829	
9040-HD-FR-168-1013	10 ¹ / ₁₆ x 13 ⁷ / ₈ x 1 ¹ / ₈	168	1 ¹ / ₂	3	Side	24 ³ / ₈	49 ¹ / ₄	57	185	3,531	
9040-HD-FR-168-1014	10 x 14 ¹ / ₂ x 1 ⁵ / ₁₆	168	1 ¹ / ₂	3	Side	24 ³ / ₈	49 ¹ / ₄	58 ¹³ / ₁₆	187	3,603	
9040-HD-FR-168-1115	11 ⁵ / ₈ x 15 ¹ / ₂ x 3 ³ / ₄	168	1 ¹ / ₂	3	Side	24 ³ / ₈	49 ¹ / ₄	61 ¹³ / ₁₆	189	3,790	
9040-HD-FR-216-1418	14 x 18	216	1 ¹ / ₂	3	Side	28 ³ / ₈	61 ¹ / ₄	70 ³ / ₁₆	198	4,067	
9040-HD-FR-240-1418	14 x 18	240	1 ¹ / ₂	3	Side	28 ³ / ₈	67 ¹ / ₄	70 ³ / ₁₆	215	4,171	
9040-HD-FR-40-1220	12 x 20 x 2 ¹ / ₂	40	3	2	Side	26 ¹ / ₂	37 ¹ / ₄	56 ¹ / ₄	145	3,000	
9040-HD-FR-100-1220	12 x 20 x 2 ¹ / ₂	100	3	3	Side/End	26 ¹ / ₂	67 ¹ / ₄	70 ¹ / ₄	246	4,273	
9040-HD-FR-132-1220	12 x 20 x 2 ¹ / ₂	132	3	3	Side	26 ¹ / ₂	73 ¹ / ₄	78 ³ / ₈	278	4,588	
9040-HD-FR-330-810	TEMPTECH	8 ³ / ₄ x 10 ¹ / ₂	330	3	5	Side	28 ³ / ₈	73 ¹ / ₄	75 ⁵ / ₄	248	5,388
9040-HD-FR-264-810		(2" or 2 ³ / ₄ " thick)	264	3	4	Side	28 ³ / ₈	73 ¹ / ₄	62 ² / ₁₆	210	4,894
9040-HD-FR-660-810		8 ³ / ₄ x 10 ¹ / ₂ x 1 ¹ / ₁₆	660	1 ¹ / ₂	5	Side	28 ³ / ₈	73 ¹ / ₄	75 ⁵ / ₈	248	5,402
9040-HD-FR-330-89		8 ⁷ / ₈ x 9 ¹ / ₂ x 2 ¹ / ₄	330	3	5	Side	28 ³ / ₈	73 ¹ / ₄	71 ³ / ₈	248	5,419
9040-HD-FR-264-1410		10 ¹ / ₁₆ x 14 x 1 ¹ / ₄	264	1 ¹ / ₂	3	Side	24 ³ / ₈	73 ¹ / ₄	57 ⁵ / ₁₆	180	4,289
9040-HD-FR-312-1014		10 x 14 ¹ / ₂ x 1 ⁵ / ₁₆	312	1 ¹ / ₂	3	Side	26 ¹ / ₂	85 ¹ / ₄	58 ¹³ / ₁₆	310	4,574
9040-HD-FR-440-1015	10 ³ / ₄ x 15 x 1 ³ / ₈	440	1 ¹ / ₂	5	End	30 ³ / ₈	73 ¹ / ₄	74	284	5,671	
9040-HD-FR-320-1014	10 ⁹ / ₁₆ x 14 ¹ / ₈ x 1 ¹ / ₄	320	1 ¹ / ₂	4	End	29 ¹ / ₈	67 ¹ / ₄	59 ³ / ₄	336	4,716	
9040-HD-FR-180-1418	14 x 18 x 1 ³ / ₄	180	2 ¹ / ₄	3	Side	28 ³ / ₈	74 ³ / ₄	70 ³ / ₈	220	4,293	
9040-HD-FR-270-0914	Rock 9 ¹ / ₂ x 14 ¹ / ₄ x 1 ³ / ₄	270	2 ¹ / ₄	3	Side	30 ¹ / ₄	74 ³ / ₄	60 ¹ / ₄	310	5,762	
9040-HD-FR-408-0914	Rock 9 ¹ / ₂ x 14 ¹ / ₄ x 1 ³ / ₄	408	2 ¹ / ₄	4	Side	30 ¹ / ₄	83 ¹ / ₄	77 ³ / ₁₆	450	6,284	

Options for tray drying rack: (also see Table DD-1 for additional options)

- A. For depth over 30¹/₈" (up to 34" max) – add 10%
- B. For extra length (up to 18" more) – add 20%
- C. Extra section – add 25%
- Note: Overall depth/length/height restrictions apply. Consult factory.
- D. S/S construction – add 80% (Add “-SS-HD” after model no.)
- E. 6 casters (4 swivel, 2 rigid) – add \$ 334
- F. Corner bumpers or wrap around bumper
- G. Bottom shelf flat without any guides for storing misc. pots & pans – N/C
(will reduce overall capacity of trays being stored)



Heavy duty aluminum tray drying racks for correctional & institutional use

CATALOG PAGES D-30A & D-30B

Heavy duty racks with corrugated shelves

Model Number	Tray/Pan Size (Inches)	Pan Capacity	Pan Spacing (Inches)	Number of Sections	Type of Loading	O.A. Dimensions (Inches)			Weight (Pounds)	List Price
						D	L	H		
9047-264-1013	10 ¹ / ₁₆ x 13 ⁷ / ₈ x 1 ¹ / ₈	264	1 ¹ / ₄	3	Side	24 ³ / ₈	60 ³ / ₈	57	204	\$ 4,481
9047-264-1014	10 x 14 ¹ / ₂ x 1 ⁵ / ₁₆	264	1 ¹ / ₄	3	Side	24 ³ / ₈	60 ³ / ₈	59 ³ / ₈	208	4,512
9047-264-1115	11 ⁵ / ₈ x 15 ¹ / ₂ x 3 ¹ / ₄	264	1 ¹ / ₄	3	Side	24 ³ / ₈	60 ³ / ₈	62 ³ / ₈	212	4,533
9047-264-1418	14 x 18	264	1 ¹ / ₄	3	Side	29 ¹ / ₈	60 ³ / ₈	70 ³ / ₁₆	229	4,651
9047-234-1418	14 x 18	234	1 ¹ / ₂	3	Side	26 ³ / ₈	64 ³ / ₈	70 ³ / ₁₆	218	4,353
9047-117-1520	15 x 20	117	1 ¹ / ₂	3	End	26 ³ / ₈	64 ³ / ₈	61 ¹ / ₂	210	4,336
9047-117-1622	16 x 22	117	1 ¹ / ₂	3	End	26 ³ / ₈	64 ³ / ₈	64 ¹ / ₂	213	4,374
9047-117-1826	18 x 26	117	1 ¹ / ₂	3	End	26 ³ / ₈	64 ³ / ₈	70	228	4,353
9047-80-1826	18 x 26	80	1 ¹ / ₂	2	End	26 ³ / ₈	64 ³ / ₈	54 ¹ / ₂	219	3,648
9047-102-1315	13 ⁷ / ₈ x 15 ¹ / ₄ x 2 ¹ / ₂	102	3 ³ / ₁₆	3	Side	28 ³ / ₈	59 ¹ / ₁₆	60 ¹ / ₈	208	4,336
9047-152-1315	(Alladin/Tivoli)	152	3 ³ / ₁₆	4	Side	28 ³ / ₈	66 ¹ / ₁₆	77 ³ / ₁₆	239	5,248
9047-234-1015	10 ³ / ₄ x 15 x 1 ⁹ / ₁₆ (Duralux T-200)	234	1 ¹ / ₂	3	Side	24 ³ / ₈	64 ¹ / ₂	60 ³ / ₁₆	195	4,439
9047-160-1013	10 ¹ / ₁₆ x 13 ⁷ / ₈	160	1 ¹ / ₄	4	End	29 ¹ / ₈	30 ³ / ₈	60 ³ / ₈	185	4,019
9047-160-1115	11 ⁵ / ₈ x 15 ¹ / ₂	160	1 ¹ / ₄	4	End	29 ¹ / ₈	30 ³ / ₈	64 ¹ / ₈	188	4,082
9047-272-1013	10 ¹ / ₁₆ x 13 ⁷ / ₈	272	1 ¹ / ₄	4	End	29 ¹ / ₈	47 ¹ / ₈	60 ³ / ₈	215	4,550
9047-272-1115	11 ⁵ / ₈ x 15 ¹ / ₂	272	1 ¹ / ₄	4	End	29 ¹ / ₈	47 ¹ / ₈	64 ¹ / ₈	218	4,676
9047-352-1013	10 ¹ / ₁₆ x 13 ⁷ / ₈ x 1 ¹ / ₈	352	1 ¹ / ₄	4	Side	24 ³ / ₈	60 ³ / ₈	73	239	5,248
9047-352-1014	10 x 14 ¹ / ₂ x 1 ⁵ / ₁₆	352	1 ¹ / ₄	4	Side	24 ³ / ₈	60 ³ / ₈	75 ¹ / ₂	242	5,275
9047-40-1220	*12 x 20 x 2 ¹ / ₂	40	3	2	Side	26 ³ / ₈	35 ¹ / ₂	56 ¹ / ₄	165	3,326
9047-78-1220	*12 x 20 x 2 ¹ / ₂	78	3	2	Side	26 ³ / ₈	64 ¹ / ₂	56 ¹ / ₄	180	3,735
9047-100-1220	*12 x 20 x 2 ¹ / ₂	100	3	3	Side/End	26 ³ / ₈	64 ¹ / ₂	69 ¹ / ₈	223	4,396
9047-120-1220	*12 x 20 x 2 ¹ / ₂	120	3	3	Side	26 ³ / ₈	64 ¹ / ₂	78 ¹ / ₈	225	4,413
9047-576-1014	14 x 10 x 1 ¹ / ₄	576	1 ¹ / ₂	4	Side	33	78	74 ¹ / ₄	270	6,092
9047-680-0608	8 ¹ / ₁₆ x 6 ³ / ₈ x 1 ¹ / ₈	680	2	5	Side	28 ³ / ₈	71 ¹ / ₂	73	330	6,722
9047-816-0608	8 ¹ / ₁₆ x 6 ³ / ₈ x 1 ¹ / ₈	816	2	6	Side	28 ³ / ₈	74 ¹ / ₈	73	345	7,424

*Rack will accommodate 4" or 6" deep steam pans & gastronorm (GN 2/1 & GN 1/1) pans. Capacity will vary.

9047 Series racks are also available with aluminum frame & stainless steel corrugated shelves (add "-SS-CR" after model number) or in all stainless steel construction (add "-SS-HD" after model number). Consult factory.

Options for tray drying rack: (also see Table DD-1 for other options)

- | | |
|--|---|
| A. For depth over 30 ¹ / ₈ "(up to 34"max) – add 10% | E. 6 casters (4 swivel, 2 rigid) – add \$334 |
| B. For extra length (up to 18" more) – add 20% | F. Spacing of 2", 2 ¹ / ₂ ", 3 ¹ / ₄ " or 4" for corrugations – N/C |
| C. Extra section – add 25% | G. Bottom shelf flat without any corrugations or guides for storing misc. pots & pans – N/C |
| Note: Overall depth/length/height restrictions apply. Consult factory. | (will reduce overall capacity of trays being stored) |
| D. S/S construction – add 80% | |

Heavy duty adjustable tray drying rack

- All aluminum construction
- Shelves are adjustable (unit is shipped knocked down)

CATALOG PAGE D-33

Model Number	Pan Spacing (Inches)	Pan Capacity	No. of Sections	Pan Size (Inches)	O.A. Dimensions (Inches) W x L x H	Weight (Pounds)	List Price
9040-AS-1826-117	1 ¹ / ₂	117	3	18 x 26	26 ¹ / ₂ x 67 x 72 ¹ / ₄	210	\$ 3,650
9040-AS-1418-234	1 ¹ / ₂	234	3	14 x 18	29 ¹ / ₂ x 67 x 72 ¹ / ₄	240	4,060
9040-AS-1115-234	1 ¹ / ₂	234	3	10 x 14 ¹ / ₂ 11 x 15 ¹ / ₂	26 ¹ / ₂ x 67 x 72 ¹ / ₄	198	3,685
9040-AS-3-1315	3	Varies	3	up to 2 ³ / ₄ thick	29 ¹ / ₂ x 67 x 72 ¹ / ₄	255	4,060

Other sizes & capacities are also available contact factory.

- | | | | |
|-----------------------|-------------------|---------------------------------|-------------------|
| Options | List Price | Options | List Price |
| 1. Extra section..... | add 25% | 2. 3 sided brace at bottom..... | \$334 |

For other options, see Table DD-1

1/20 ALL PRICES ARE F.O.B. FACTORY. PRICES AND SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE



9040-117-1826



9040-AS-1826-117



Extra heavy duty aluminum & stainless steel tray drying & storage racks for thick insulated trays, for correctional & heavy institutional use

- Designed to carry 2½” thick insulated food trays.
- Heavy duty all welded construction.
- Furnished with 6” casters & wrap around bumper.

CATALOG PAGE D-31

A. Aluminum Models

Tray Size	Model Number	Capacity (Trays)	No. of Compartments	O.A. Dimensions (Inches) W x L x H	Weight (Pounds)	List Price
13 ⁷ / ₈ ” x 15 ¹ / ₄ ” x 2 ¹ / ₂ ”	S-5108-13-200	200	4	29 ¹ / ₄ x 82 ¹ / ₄ x 78 ³ / ₄	281	\$ 5,658
	S-5108-13-176	176	4	29 ¹ / ₄ x 74 ¹ / ₄ x 78 ³ / ₄	270	4,848
Alladin	S-5108-13-168	168	4	29 ¹ / ₄ x 70 ¹ / ₄ x 78 ³ / ₄	266	4,940
	S-5108-13-150	150	3	29 ¹ / ₄ x 82 ¹ / ₄ x 61 ¹ / ₈	238	4,903
Tivoli	S-5108-13-132	132	3	29 ¹ / ₄ x 74 ¹ / ₄ x 61 ¹ / ₈	230	4,351
	S-5108-13-126	126	3	29 ¹ / ₄ x 70 ¹ / ₄ x 61 ¹ / ₈	220	4,419
	S-5108-13-96	96	3	29 ¹ / ₄ x 56 ¹ / ₄ x 61 ¹ / ₈	185	3,862



S-5108-13-168

B. Stainless Steel Models

Tray Size	Model Number	Capacity (Trays)	No. of Compartments	O.A. Dimensions (Inches) W x L x H	Weight (Pounds)	List Price
13 ⁷ / ₈ ” x 15 ¹ / ₄ ” x 2 ¹ / ₂ ”	S-5108-SS-13-200	200	4	29 ¹ / ₄ x 82 ¹ / ₄ x 77 ¹ / ₂	494	\$10,464
	S-5108-SS-13-176	176	4	29 ¹ / ₄ x 74 ¹ / ₄ x 77 ¹ / ₂	465	8,895
Alladin	S-5108-SS-13-150	150	3	29 ¹ / ₄ x 82 ¹ / ₄ x 60 ³ / ₈	421	9,069
	S-5108-SS-13-132	132	3	29 ¹ / ₄ x 74 ¹ / ₄ x 60 ³ / ₈	406	7,982
Tivoli	S-5108-SS-13-96	96	3	29 ¹ / ₄ x 56 ¹ / ₄ x 60 ³ / ₈	348	8,109

Note: Racks are also available for other thick insulated trays. Consult Factory For options, see Table DD-1

Oval tray vertical storage racks, extra heavy duty aluminum & stainless steel

- Extra heavy duty all welded construction.
- 1 ½” square tubing shelves.
- Ideal for 20 ¾”x25 ½”, 22 ¾”x27 5/8” and 23 ½”x29” oval trays.
- 6”x2” H.D. polyurethane tread casters are standard.
- Choice of aluminum or stainless steel units.

CATALOG PAGE D-39

Type	Model Number	Storage Capacity	O.A. Dimensions (Inches) W x D x H	Weight (Pounds)	List Price
Aluminum	9565-EHD-OT-140	140	30 x 40 x 61 ¹ / ₄	164	\$ 1,988
S / S	9565-SS-EHD-OT-140	140	30 x 40 x 61 ¹ / ₄	285	3,394

For Options, see Table DD-1



9565-EHD-OT-140



Heavy duty tray drying racks for small compartment trays for correctional & institutional use.

CATALOG PAGE D-41

- Choice of aluminum or stainless steel models
- Heavy duty rectangular/square tubing frame
- 1 5/8" x 1 5/8" x 0.125" thick alum, or 12GA S/S up rites
- Special formed slides allow hanging of trays to drain excess water
- Horizontal tray stop in each section at rear to hold trays in place
- Catch water pan at bottom with notch at one end to drain water
- 6" x 2" heavy duty swivel casters



4 Section, Model 9048-F-384-0806

A. Aluminum Models

Model Number	NO. of Sections	Tray Size (Inches)	Tray Spacing (Inches)	Capacity		O.A. Dimensions (Inches) W x D x H	Weight (Pounds)	List Price
				4 Trays per track	3 Trays per track			
9048-F-288-0806	3	SEE NOTE	2½	288	216	29¼ x 64¼ x 50¼	292	\$ 5,106
9048-F-384-0806	4	SEE NOTE	2½	384	288	29¼ x 64¼ x 64½	340	5,816
9048-F-480-0806	5	SEE NOTE	2½	480	360	29¼ x 64¼ x 78¼	398	6,117

B. Stainless Steel Models

Model Number	NO. of Sections	Tray Size (Inches)	Tray Spacing (Inches)	Capacity		O.A. Dimensions (Inches) W x D x H	Weight (Pounds)	List Price
				4 Trays per track	3 Trays per track			
9048-F-SS-288-0806	3	SEE NOTE	2½	288	216	29¼ x 64¼ x 50¼	476	\$ 8,767
9048-F-SS-384-0806	4	SEE NOTE	2½	384	288	29¼ x 64¼ x 64½	512	9,998
9048-F-SS-480-0806	5	SEE NOTE	2½	480	360	29¼ x 64¼ x 78¼	620	11,716

Note 1: Each rack will carry 4 trays/ track of flex trays #321 (8 7/16" x 6 3/8" x 1 7/8" d) Design Specialty E-300 & E-325 (6 3/8" x 8 7/16" x 1 7/8" d), Jones Zylon JZCC trays (6 3/8" x 9" x 2 3/8" d) and 3 trays/track of slightly bigger flex trays #437 (9" x 10 ½" x 2 1/8" d) and Temp Tech trays (8 ¾" x 9 ½" x 2" or 2 ¼" d). 2 sample trays are required with order.

Note 2: These racks are also available with 3" spacing to carry other small trays 2 ½" or 2 ¾" deep. Capacity will vary. Consult factory. For other options see table DD-1.

Dome drying rack, stainless steel

- 1" sq. s/s tubing frame & 5" casters
- Removable dome cradles included (each holds 10 domes)
- 14 ga. s/s angle supports

CATALOG PAGE D-36

Model Number	Dome Capacity	O.A. Dimensions (Inches)			Weight (Pounds)	List Price
		D	L	H		
9563-SS-60	60	20 ½	39 ¾	41 ½	105	\$ 2,866
9563-SS-80	80	20 ½	39 ¾	55 ¾	122	3,149
9563-SS-100	100	20 ½	39 ¾	70	140	3,872

Options:

Extra dome cradle.....\$215

Note: Optional aluminum construction is available. Consult factory.



9563-SS-100



Heavy duty stainless steel tray drying racks with corrugated shelves for correctional & institutional use

CATALOG PAGES D-30C & D-30D

Heavy duty racks with corrugated shelves

Model Number	Tray/Pan Size (Inches)	Pan Capacity	Pan Spacing (Inches)	Number of Sections	Type of Loading	O.A. Dimensions (Inches)			Weight (Pounds)	List Price
						D	L	H		
9047-SS-HD-234-1014	10 x 14½ x 15 ¹⁵ / ₁₆	234	1 ½	3	Side	26 ⁵ / ₈	64 ³ / ₈	59 ³ / ₈	350	\$ 7,752
9047-SS-HD-234-1418	14 x 18	234	1 ½	3	Side	26 ⁵ / ₈	64 ³ / ₈	70 ⁷ / ₁₆	368	7,479
9047-SS-HD-117-1520	15 x 20	117	1 ½	3	End	26 ⁵ / ₈	64 ³ / ₈	61 ½	354	7,448
9047-SS-HD-117-1622	16 x 22	117	1 ½	3	End	26 ⁵ / ₈	64 ³ / ₈	64 ½	359	7,513
9047-SS-HD-117-1826	18 x 26	117	1 ½	3	End	26 ⁵ / ₈	64 ³ / ₈	70	386	7,479
9047-SS-HD-80-1826	18 x 26	80	1 ½	2	End	26 ⁵ / ₈	64 ³ / ₈	54 ½	370	6,268
9047-SS-HD-234-1015	10 ³ / ₄ x 15 x 1 ⁹ / ₁₆ (Duralux T-200)	234	1 ½	3	Side	26 ⁵ / ₈	64 ½	60 ³ / ₁₆	352	7,626
9047-SS-HD-312-1014	10 x 14½ x 15 ¹⁵ / ₁₆	312	1 ½	4	Side	26 ⁵ / ₈	64 ³ / ₈	75 ½	483	9,063
9047-SS-HD-78-1220	*12 x 20 x 2 ½	78	3	2	Side	26 ⁵ / ₈	64 ½	56 ¼	368	6,416
9047-SS-HD-100-1220	*12 x 20 x 2 ½	100	3	3	Side/End	26 ⁵ / ₈	64 ½	69 ¹ / ₈	370	7,552
9047-SS-HD-120-1220	*12 x 20 x 2 ½	120	3	3	Side	26 ⁵ / ₈	64 ½	78 ¹ / ₈	378	7,583
9047-SS-HD-576-1014	14 x 10 x 1 ¼	576	1 ½	4	Side	33	78	74 ¼	530	10,467
9047-SS-HD-680-0608	8 ⁷ / ₁₆ x 6 ³ / ₈ x 1 ⁷ / ₈	680	2	5	Side	28 ³ / ₈	71 ½	73	598	11,549
9047-SS-HD-816-0608	8 ⁷ / ₁₆ x 6 ³ / ₈ x 1 ⁷ / ₈	816	2	6	Side	28 ³ / ₈	74 ¹ / ₈	73	665	12,754



9040-SS-HD-120-1220

*Rack will accommodate 4" or 6" deep steam pans & gastronorm (GN 2/1 & GN 1/1) pans. Capacity will vary.

Note: O.A. Dimensions may vary due to actual tray sizes. 2 sample trays are required with order.

Options for tray drying rack: (also see Table DD-1 for other options)

- | | |
|---|--|
| <p>A. For depth over 30¹/₈" (up to 34" max) – add 10%</p> <p>B. For extra length (up to 18" more) – add 20%</p> <p>C. Extra section – add 25%</p> <p>Note: Overall depth/length/height restrictions apply. Consult factory.</p> | <p>D. 6 casters (4 swivel, 2 rigid) – add \$334</p> <p>E. Spacing of 2", 2½", 3¾" or 4" for corrugations – consult factory</p> <p>F. Bottom shelf flat without any corrugations or guides for storing misc. pots & pans – N/C (will reduce overall capacity of trays being stored)</p> |
|---|--|



Extra heavy duty aluminum & stainless steel large angle slide bun pan racks for correctional facilities (for 18" x 26" & 12" x 20" steam pans)

- 3/4" wide x 0.090" thick (alum.) or 16 ga. (s/s) angle slides.
- 5" x 2" heavy duty polyurethane tread plate casters.
- 18" x 26" bun pans rest on slides.
- All welded construction, shipped fully assembled.
- 1 1/2" square heavy wall tubular uprights.
- 12" x 20" steam pans are lip loaded

CATALOG PAGE D-42

Type	Model Number	*Pan Size (Inches)	Pan Spacing (Inches)	*Pan Capacity	O.A. Dimensions (Inches)			Weight (Pounds)	List Price
					W	D	H		
Aluminum	9585-EHD-LA-20	18 x 26	3	20	21 3/8	26 1/4	70	110	\$ 1,633
	9585-EHD-LA-18	18 x 26	3	18	21 3/8	26 1/4	64	105	1,604
	9585-EHD-LA-12	18 x 26	5 1/16	12	21 3/8	26 1/4	70	104	1,516
	9585-EHD-LA-11	18 x 26	5 1/16	11	21 3/8	26 1/4	65 3/4	99	1,500
Stainless Steel	2585-EHD-LA-20	18 x 26	3	20	21 3/8	26 1/4	70	186	3,019
	2585-EHD-LA-18	18 x 26	3	18	21 3/8	26 1/4	64	180	2,966
	2585-EHD-LA-12	18 x 26	5 1/16	12	21 3/8	26 1/4	70	178	2,803
	2585-EHD-LA-11	18 x 26	5 1/16	11	21 3/8	26 1/4	65 3/4	174	2,761

- Capacity is based on one 18" x 26" or one 12" x 20" steam pans

Options:	List Price (Alum. Models)	List Price (S/S Models)
1. Roll-In rack (w/inset 5" casters)	\$152	\$267
2. 6" x 2" H.D. casters (in lieu of 5")	94	94

For other options, see Table DD-1



9585-EHD-LA-18

Large angle slide racks for trapezoid trays (for 14" x 18" trapezoid trays)

- All aluminum construction.
- 5" casters are standard.
- 1 1/2" x 3/4" wide angle slides.
- Fully assembled rack.

CATALOG PAGE D-42

Model Number	Slide Spacing (Inches)	*Capacity	O.A. Dimensions (Inches) W x D x H	Weight (Pounds)	List Price
9585-LA-1440-3	3	40	20 5/8 x 29 x 69 7/16	110	\$ 1,227
9585-LA-1436-3	3	36	20 5/8 x 29 x 64 3/16	105	1,179
9585-LA-1424-5	5 1/16	24	20 5/8 x 29 x 69 7/16	98	1,130
9585-LA-1422-5	5 1/16	22	20 5/8 x 29 x 64 3/16	94	1,117

*Capacity is based on two 14" x 18" trapezoid trays, per pair of slides double side loaded. These racks will also hold standard 14" x 18" trays and half the number of 18" x 26" sheet pans.

- Option A:** Slides riveted & welded for correctional/ heavy duty use. Add 15% to prices and add "-SD" after model number.
- Option B:** Roll-in rack with "in-set" casters add \$140 and add "-RI" after model number.
- Option C:** Stainless steel construction, add 80%.
For other options see table DD-1.

Note: Racks are also available for other tray sizes & spacing. Consult factory.



9585-LA-1424-5



Rack/Trolleys for Gastronorm pans & U.S. 12" x 20" steam pans

- 2" x 1" upright channels
- 18 GA. s/s channel slides
- 5" swivel casters
- Pans are lip loaded

CATALOG PAGE D-43

A. Aluminum racks with riveted s/s channel sides

Model Number	No. of slides	Pan Size (Inches)	Pan Spacing (Inches)	O.A. Dimensions (Inches)			Weight Pounds	List Price
				W	D	H		
9580-20-GN 2/1	20	GN 2/1	3	23 ⁹ / ₁₆	26½	69 ⁷ / ₁₆	82	\$ 1,317
9580-18-GN 2/1	18	GN 2/1	3	23 ⁹ / ₁₆	26½	64 ⁷ / ₁₆	79	1,299
9580-16-GN 2/1	16	GN 2/1	3	23 ⁹ / ₁₆	26½	57 ⁷ / ₁₆	76	1,244

B. Stainless steel racks with welded s/s channel slides

Model Number	Pan Capacity	Pan Size (Inches)	Pan Spacing (Inches)	O.A. Dimensions (Inches)			Weight (Pounds)	List Price
				W	D	H		
2580-20-GN-2/1	20	GN 2/1	3	23 ⁹ / ₁₆	26½	69 ⁷ / ₁₆	145	\$ 2,387
2580-18-GN-2/1	18	GN 2/1	3	23 ⁹ / ₁₆	26½	64 ⁷ / ₁₆	140	2,359
2580-16-GN-2/1	16	GN 2/1	3	23 ⁹ / ₁₆	26½	57 ⁷ / ₁₆	136	2,318

Note: These racks will also carry 12"x 20" U.S steam pans, Gastronorm GN 1/1 (530 mm x 325 mm), 2 pans per set of slides and smaller GN 2/4 (530mm x 162 mm), 4 pans per set of slides.

Options:

- A. 16 GA s/s channel slides (in lieu of 18GA)
 B. Roll in rack (with inset casters)
 add "-RI" after model number

For other options, see table DD-1

List Price:

Add 10%
 \$ 152 aluminum (\$ 209 S/S)



9580-20-GN-2/1

Aluminum all welded pan racks for 12" x 20" U.S. & Gastronorm steam pans

- 2" x 1" x 1/8" alum, channel uprights
- 1" x 1" x 1/8" alum. Angle slides
- All welded construction
- 5" swivel casters
- Pans are lip loaded

CATALOG PAGE D-44

Type	Model Number	Pan Spacing (Inches)	Pan Capacity (note 2)	Pan Size (inches) (note 1)	O.A. Dimensions (Inches)			Weight Pounds	List Price
					W	D	H		
Single End Loading	S-4100-1215-3	3	15	12X20	16¾	23¼	58¾	65	\$942
*Double Side Loading	S-4100-1238-3	3	38	12X20	23 ¹³ / ₁₆	26¼	69 ⁷ / ₁₆	85	1,167
	S-4100-1234-3	3	34	12X20	23 ¹³ / ₁₆	26¼	64 ³ / ₁₆	82	1,139
	S-4100-1222-5	5 ¹ / ₁₆	22	12X20	23 ¹³ / ₁₆	26¼	69 ⁷ / ₁₆	80	1,086
	S-4100-1220-5	5 ¹ / ₁₆	20	12X20	23 ¹³ / ₁₆	26¼	64 ³ / ₁₆	76	1,060

*Two pans/pair of slides.

NOTE 1: Pan size is U.S. 12"x 20" or Gastronorm GN 1/1 (325mmx530mm). In addition, double side loading models will also accommodate one GN 2/1 pan (530mmx650mm) end loaded.

NOTE 2: Capacity based on 2½" (64mm) deep pans. Capacity for 4" (102mm) or 6" (152mm) deep pans will vary. For options, see table DD-1

Options:

- A. Roll -in rack application
 (in-set casters) add "-RI" after model number

For other Options, see table DD-1

List Price:

\$ 152



S-4100-1234-3



Steam table roll-in pan racks with perforated stainless steel corrugated sides for refrigeration, freezers & warming cabinets.

- Furnished fully assembled with S/S perforated corrugated sides & 5" casters.

CATALOG PAGE D-45

Type A. Aluminum Frame with S/S Corrugations

Model Number	Pan Capacity	Pan Size (Inches)	Pan Spacing (Inches)	O.A. Dimensions (Inches)			Weight (Pounds)	List Price (See note)
				W	D	H		
9120-3-1238	38	12 x 20	3	23 ⁹ / ₁₆	26½	69 ⁷ / ₁₆	98	\$ 1,960
9120-3-1234	34	12 x 20	3	23 ⁹ / ₁₆	26½	64 ³ / ₁₆	94	P.O.R.

Type B. All Stainless Construction (S/S Frame & S/S Corrugations)

Model Number	Pan Capacity	Pan Size (Inches)	Pan Spacing (Inches)	O.A. Dimensions (Inches)			Weight (Pounds)	List Price (See note)
				W	D	H		
9120-3-SS-1238	38	12 x 20	3	23 ⁹ / ₁₆	26½	69 ⁷ / ₁₆	134	\$3,273
9120-3-SS-1234	34	12 x 20	3	23 ⁹ / ₁₆	26½	64 ³ / ₁₆	130	P.O.R.

*Pan capacity is based on 12" x 20" x 2 ½" or Gastronorm GN 1/1 (325mm x 530mm x 64mm deep) pans side loaded 2/pair of slides. Capacity of 4" (102mm) or 6" (125mm) deep pans will vary.

NOTE- Prices are based on minimum quantity of 5 racks.
For options, see Table DD-1



9120-3-1238



TABLE DD-1
OPTIONS FOR RACKS

		LIST PRICE FOR			
		ALUMINUM MODELS		STAINLESS STEEL MODEL	
1.	Corner bumpers (set of 4)	\$ 174		\$ 192	
2.	Vertical leg bumpers (set of 4)	204		225	
3.	Wheel brakes (pair) for 5" or 6" casters	73		73	
4.	Wrap around bumper (single section rack)	313		355	
5.	Wrap around bumper (double section rack)	391		468	
6.	Floor lock (5")	219		290	
7.	Floor lock (6")	250		325	
8.	Floor lock (8")	340		412	
9.	Extra pair of universal angle slides	124		195	
10.	<u>CASTERS UPGRADE (IN LIEU OF 5" STANDARD, SET OF 4)</u>				
	5" Polyurethane	139		139	
	5" Balloon (Decorative)	174		174	
	6" Polyurethane (1,200# Capacity)	215		215	
	6" Heavy Duty Polyurethane (2,000# Capacity)	325		325	
	5" Hi-Temp	226		226	
	6" Balloon	380		380	
	8" Polyurethane	366		366	
	Stationary Legs	325		325	
11.	<u>CASTERS UPGRADE (IN LIEU OF 6" STANDARD, SET OF 4)</u>				
	6" Balloon	275		275	
	8" Balloon	453		453	
	8" Polyurethane	290		290	
12.	Push handle (each)	195		250	
13.	Push handle (each) with 2 donut bumpers	250		317	
14.	Vertical pan stop (each)	172		259	
15.	Anodized finish (universal angle slide rack)	678		N/A	
16.	Anodized finish (other single section rack)	485		N/A	
17.	Anodized finish (double section rack)	N/A		N/A	
18.	Solid base (single section rack)	185		299	
19.	Solid base (double/triple section rack)	323		494	
20.	Drain hole/section	154		193	
21.	Export crating	657		657	
22.	Other Options:				
		Aluminum Racks		Stainless Steel Racks	
		Without Vinyl	*With Vinyl	Without Vinyl	*With Vinyl
	A. Solid top (single section rack)	\$ 225	\$ 329	\$ 378	\$ 485
	B. Solid top (double/triple section rack)	352	577	563	776
	C. Solid 2 sides	474	683	735	954
	D. Solid back (single section rack)	227	246	317	494
	E. Solid back (double section rack)	355	432	573	849
	F. Solid back (triple section rack)	490	525	875	1,184

*WALNUT COLOR WOODGRAIN. OTHER COLORS AND FORMICA ARE ALSO AVAILABLE AT ADDITIONAL COST. CONSULT FACTORY.



SAMMONS EQUIPMENT MFG. CORP.

SHAMMI INDUSTRIES

SAMCO

www.sammonsequipment.com

390-A Meyer Circle

Corona, CA 92879-1078

Tel: (951) 340-3419 • Fax: (951) 340-2716

TERMS AND CONDITIONS

1. All prices are F.O.B. Plant, Corona, California.
2. All orders must be in writing and are contingent upon acceptance by Sammons Equipment Mfg. Corp. Representatives and dealers are not authorized to bind orders. Orders once processed internally by Sammons Equip. Mfg. Corp. For production schedule are non cancelable.
3. Payments are net 30 days for open accounts, subject to credit approval, unless otherwise noted. Sammons Equip. Mfg. Corp. Reserves the sole right to establish amount of credit offered and to change it as deemed necessary.
4. All applicable state, federal or municipal use or sales tax in effect now or subsequently becoming effective are to buyers account to be paid by buyer. If goods are for resale buyer must provide a certificate of exemptions.
5. All shipments will be subject to pricing in effect at time of shipment. Prices and specifications are subject to change without notice. Sammons Equipment Mfg. Corp. Reserves the right to discontinue product(s) or to modify design and construction and to substitute material and or equipment equal to or better than originally specified. Price list is not a substitute for detailed specifications. Please check latest prices with factory before ordering, especially if more than six months have passed since the effective date of price list shown on the cover page.
6. Not all items shown in catalog/price lists are produced regularly. Sammons Equipment Mfg. Corp. reserves the sole right to determine which merchandise is returnable and which is not. Therefore, merchandise may not be returned without our written consent before the return. Further limitations on the total dollar amount of such returns and a 60 day time limit from date of original shipment may also apply at the sole discretion of Sammons Equip. Mfg. Corp. All such authorized returned goods must be unused, in prime condition, in original carton and are subject to a minimum restocking and handling charge of 30% of net prices. All transportation charges are to be paid by customer. Goods being returned must be shipped "Freight Prepaid" or shipment will be refused. No returns are accepted on custom built or special or modified equipment.
7. Minimum net for each order whether for parts or otherwise is \$100.00 and is further subject to minimum order quantity for certain items if any specified in this price list.
8. First time orders must be accompanied by a certified or a cashier's check for the full amount of order, including any applicable freight unless satisfactory credit has been established and approved by Sammons Equip. Mfg. Corp.
9. All equipment and parts are shipped at buyer's risk. Title to goods passes to buyer on delivery of goods to the carrier by Sammons Equip. Mfg. Corp. at its plant. Any claims for damages or shortages must be filed promptly with the carrier by the buyer/consignee and any resulting reimbursement is a matter to be resolved between the carrier and the buyer. For an incomplete or damaged shipment, obtain a notation on freight bill followed by an inspection report signed by the freight carrier's agent. For a concealed damage contact the carrier and have their inspector make an inspection report.

WARRANTY

Sammons Equipment Mfg. Corp. warrants to the original purchaser only that it will at its option, repair or replace during the warranty period specified below, any defect in material or workmanship in any part or product manufactured at its plant. The warranty period is one (1) year for parts and (90) days for labor and the period starts on the date of original shipment from its plant. Repair or replacement under the warranty shall be performed, unless otherwise authorized in writing by Sammons Equip. Mfg. Corp., at its plant. Transportation charges are not included and are to buyer's account. Any changes, modifications or alterations of original equipment or parts voids the warranty.

The warranties and limitations of liability set forth herein shall be exclusive, in lieu of, and exclude all other (expressed, implied or statutory) warranties (except title) including without limitations those of merchantability, fitness of purpose, or otherwise.

Sammons Equip. Mfg. Corp. shall under no circumstances be liable for special, incidental, exemplary, or consequential damages including but not limited to, loss by reason of facility shutdown, non-operation, cost of replacement, cost of substitute equipment, facilities, or services, delays in installation of the work or completion of the project, or other such claims arising from any cause whatsoever whether or not such loss or damage is based on contract, warranty, negligence, strict liability, indemnity, or otherwise.

Sammons Equipment Manufacturing Corp.

SHAMMI INDUSTRIES

390-A Meyer Circle • Corona, CA 92879-1078

Telephone: (951) 340-3419 • Fax: (951) 340-2716

Toll free: 1 (800) 417-9260 (outside California)

Web Site: www.sammonsequipment.com

E-mail: info@sammonsequipment.com