

Sammons Equipment Manufacturing Corp.

SHAMMI INDUSTRIES

390-A Meyer Circle • Corona, CA 92879-1078

Telephone: (951) 340-3419 • Fax: (951) 340-2716

Toll free: 1 (800) 417-9260 (outside California)

Web Site: www.sammonsequipment.com

E-mail: info@sammonsequipment.com

PRICE LIST EFFECTIVE
Jan. 1, 2020

Sammons Equipment Manufacturing Corporation

SHAMMI INDUSTIRES



**Our "Queen Marys"
have made us Famous!!!!**



TABLE OF CONTENTS

QUEEN MARYS & SHELF TRUCKS	PA-1 thru PA-7	UTILITY & BUSSING CARTS	PE-1 thru PE-12
CABINETS, TRANSPORT & DELIVERY	PB-1 thru PB-9	DOLLIES & PLATFORM TRUCKS	PF-1 thru PF-6
PROOFING & HOT CABINETS	PC-1 thru PC-14	SHELVING & DUNNAGE RACKS	PG-1 thru PG-5
RACKS	PD-1 thru PD-17	SLICER STANDS & WORK TABLES	PG-1 and PH-1

TERMS & CONDITIONS & WARRANTY SEE INSIDE BACK COVER

X-REFERENCE CHART





MODEL #	Page Number	MODEL #	Page Number	MODEL #	Page Number	MODEL #	Page Number
CV-12	PD-4A	2173-2175	PE-3	2580	PD-1,PD-16E	9235	PC-6
E-11007	PA-1	2176	PA-5,PE-3	2581	PD-2A,PD-2B	9236	PC-4,PC-4A
GR	PH-1	2177-2179	PE-3	2582	PD-7	9238	PC-7
S-224	PE-2	2180	PA-5,PF-2	2583	PD-9	9240	PB-5
S-3131	PD-5,PD-6, PD-9	2191	PE-5	2584	PD-7	9250	PC-2,PC-3,PC-7,PC-13A
S-3587	PA-1	2192	PE-5	2585	PD-2,PD-4A, PD-11PD-16D,PD-12A	9251	PC-1,PC-1A
S-3658	PA-1	2193	PE-5	2586	PD-4A	9252	PC-2,PC-3,PC-13A
S-3751 THRU	PF-4	2194	PE-1,PE-2	2589	PD-3	9253,9254	PC-5
S-3755	PF-6	2195	PE-1	2601,2602	PH-1	9256	PC-4,PC-4A
S-3921		2200	PB-3B	2603,2604	PH-1	9260	PD-14
S-4100	PD-3,PD-14,PD-16E	2202	PB-3C,PB-3D,PB-3E	2607	PG-1		
S-4285	PB-2	2205	PB-8	2801	PC-10		
S-4354	PD-4,PD-9, PD-11	2230	PC-3	2803	PC-8,PC-13A	9264	PB-4,PB-6
S-4358	PD-5	2231	PC-1,PC-6	2805	PC-8		
S-5030	PA-3	2232	PC-3	3919	PA-1	9270	PC-2
S-5036	PA-3,PE-11	2233	PC-6	4210	PA-1	9271	PC-1
S-5065	PB-8C	2234	PC-1,PC-6	5166,5167	PE-1A	9273,9274	PC-5
S-5100	PA-2	2235	PC-6	5170,5171	PE-1A	9280	PC-2,PC-3,PC-13A
S-5108	PA-3,PB-3A,	2236	PC-4	6231,6235	PF-4	9281	PC-1,PC-1A
S-5181	PD-16A	2237	PC-9	6251,6255	PF-4	9282	PC-2,PC-3,PC-13A
S-5481	PB-4	2238	PC-7	6271	PF-4		
WHD	PD-4A	2250	PC-2,PC-7,	6275	PF-4	9283	PC-5
1940	PE-4,PE-9		PC-13A	6281,6285	PF-4	9284	PC-5,PC-13
1941	PE-9	2251	PC-1	9001	PE-5	9286	PC-4,PC-4A
2001	PE-5	2252	PC-2,PC-3,	9007-9008	PE-6	9288	PC-7,PC-13
2006,2007	PE-6,PE-12		PC-13A	9023-9030	PA-5	9292	PC-3,PC-13A
2008	PE-6	2253,2254	PC-5	9040	PD-15,16,16F	9298	PC-7
2010-2012	PE-1	2256	PC-4	9045	PA-4,PA-5	9351	PG-4
2023-2030	PA-5	2270	PC-2	9047	PD-16,PD-16C	9355	PG-4
2035-2038	PE-1	2271	PC-1	9048	PD-16B	9359	PD-13
2040	PE-4	2274	PC-5	9070	PA-6	9412	PC-9
2041	PE-4,PE-8			9085	PF-1,PF-2	9501	PA-6
2043-2045	PE-4	2280	PC-2,PC-3	9086	PF-1, PF-3	9502	PA-2
2047,2048	PE-4		PC-13A	9090	PF-3,PF-2	9503	PA-3,PA-6A
2049	PE-3A	2281	PC-1	9105	PB-1,PB-4,PB-2A	9504	PA-4
2060	PA-6B	2282	PC-2,PC-3			9506	PA-6
2070	PA-6	2283,2284	PC-5	9115	PB-3	9560,9562	PD-13
2085	PF-1,PF-2	2285	PC-11-PC-11D	9120	PD-4,9,11,16G	9563	PD-16B
2086	PF-1,PF-2		PC-12	9130	PE-9,PF-1,PG-3,PE-12	9564	PD-13
2089	PD-6	2286	PC-4,PC-11E,PC-12			9565	PD-16A,PD-12
2142	PE-3, PE-3A		PC-11F	9150,9152	PB-2,PB-2A	9566	PE-10
2143	PE-3,PE-7,PE-3A	2287	PC-11,PC-11G	9156	PB-3,PB-3A,PB-2A,PB-3B,PB-4,PB-5,PB-7,PB-8,PD-12	9580	PD-1,PD-15,PD-16E,PD-2C
2145,2146	PE-7	2288	PC-7,PC-13			9581	PD-1,PD-2A,PD-2B,PD-2C
2147	PE-4,PE-8	2289	PC-10	9158	PB-3	9582	PD-7,PD-9
2148	PE-10,PE-11	2292	PC-3,PC-12,PC-13A,PC-13	9170,9171	PD-12	9583	PD-9,PD-10
2150	PB-6,PB-8,PB-8B		PC-7	9172	PD-7	9584	PD-7
	PB-8A	2305	PG-1	9200	PB-3B	9585	PD-2,PD-4A,PD-9,PD-10,PD-11,PD-14,PD-16D
2151	PE-4	2306	PA-3,PG-1	9202	PB-3C,PB-3D,PB-3E		
2153,2154	PE-3,PE-1A	2307,2308	PG-2			9586	PD-4A,PD-8
2160-2167	PA-5,PE-3	2309,2310	PG-5	9220	PB-1,PB-3,PB-3A,PB-4,PB-7	9587	PD-8
2168	PE-3	2313,2314	PG-3			9588	PG-1
2169-2171,2172	PA-5,PE-3	2412	PC-9	9230	PC-3	9589	PD-3
		2420	PC-13B	9231	PC-1,PC-6,PC-1A	9601	PF-3,PF-6
		2502	PA-2	9233	PC-6	9602	PF-5
		2503	PA-3,PA-6A	9234	PC-3	9803	PC-8,PC-13A
		2504	PA-4				
		2506	PA-6				



Stainless Steel Top Tables

- 14 ga. s/s top shelf.
- 1 1/2" x 16 ga. s/s tubing uprights.
- Adjustable bullet feet.
- Choice of four (4) styles.

CATALOG PAGES H-1 & H-2

With Undershef			With Open Base				
Top with all 4 edges down (2601 Series)  2601-2448		Top with 1 1/2" Backsplash (2602 Series)  2602-2448		Top with all 4 edges down (2603 Series)  2603-2448		Top with 1 1/2" Backsplash (2604 Series)  Mobile 2604-2448-M	
Stainless Steel Top with All 4 Edges Down & with Undershef (2601 Series)							
Table Length (Inches)	24" Wide		30" Wide		36" Wide		
	Weight (Pounds)	List Price	Weight (Pounds)	List Price	Weight (Pounds)	List Price	
24	35	\$ 1,482	56	\$ 1,559	65	\$1,557	
36	65	1,557	74	1,750	90	1,915	
48	80	1,768	94	1,961	100	2,040	
60	94	1,917	115	2,155	122	2,407	
72	116	2,191	130	2,356	142	2,674	
*84	136	\$ 2,667	152	\$ 2,829	168	\$ 3,451	
*96	150	2,858	168	3,009	190	3,531	
*108	164	2,956	180	3,255	216	3,753	
*114	220	3,191	240	3,375	280	3,890	
*120	260	P.O.R	280	P.O.R	310	P.O.R	

*Units 84" or longer are furnished with six (6) legs.

2602 Series (top with 1 1/2" backsplash & with undershef) add 10% to list prices.
2603 Series (top with all 4 edges down & with open base) priced same as 2601 series.
2604 Series (top with 1 1/2" backsplash & with open base) add 10% to list prices.

NOTE: Mobile units with 5" casters are also available. Add "-M" after model number.
 For options & pricing see Table GA-1 on page PG-2. For s/s drawer, add \$676.

Subway grating

- 1" deep, all welded construction.
- Two (2) 3/8" dia. rods spaced 1 3/16" apart for 12" & 15" wide and three (3) rods for widths over 15".
- Maximum lengths 20"/section. (see note)

CATALOG PAGE H-5

Model Number	Width (Inches)	Weight (lbs. Per Ft.)	List Price/Ft.
GR-12	12	8.5	\$330
GR-15	15	10.5	412
GR-18	18	12	497
GR-21	21	14	561



GR-12

NOTE: Lengths longer than 20", spacing other than 1 3/16" and shallow grating with 1 3/16" x 3/4" bars are also available. Consult factory.



SAMMONS EQUIPMENT MFG. CORP.

SHAMMI INDUSTRIES

SAMCO

www.sammonsequipment.com

390-A Meyer Circle

Corona, CA 92879-1078

Tel: (951) 340-3419 • Fax: (951) 340-2716

TERMS AND CONDITIONS

1. All prices are F.O.B. Plant, Corona, California.
2. All orders must be in writing and are contingent upon acceptance by Sammons Equipment Mfg. Corp. Representatives and dealers are not authorized to bind orders. Orders once processed internally by Sammons Equip. Mfg. Corp. For production schedule are non cancelable.
3. Payments are net 30 days for open accounts, subject to credit approval, unless otherwise noted. Sammons Equip. Mfg. Corp. Reserves the sole right to establish amount of credit offered and to change it as deemed necessary.
4. All applicable state, federal or municipal use or sales tax in effect now or subsequently becoming effective are to buyers account to be paid by buyer. If goods are for resale buyer must provide a certificate of exemptions.
5. All shipments will be subject to pricing in effect at time of shipment. Prices and specifications are subject to change without notice. Sammons Equipment Mfg. Corp. Reserves the right to discontinue product(s) or to modify design and construction and to substitute material and or equipment equal to or better than originally specified. Price list is not a substitute for detailed specifications. Please check latest prices with factory before ordering, especially if more than six months have passed since the effective date of price list shown on the cover page.
6. Not all items shown in catalog/price lists are produced regularly. Sammons Equipment Mfg. Corp. reserves the sole right to determine which merchandise is returnable and which is not. Therefore, merchandise may not be returned without our written consent before the return. Further limitations on the total dollar amount of such returns and a 60 day time limit from date of original shipment may also apply at the sole discretion of Sammons Equip. Mfg. Corp. All such authorized returned goods must be unused, in prime condition, in original carton and are subject to a minimum restocking and handling charge of 30% of net prices. All transportation charges are to be paid by customer. Goods being returned must be shipped "Freight Prepaid" or shipment will be refused. No returns are accepted on custom built or special or modified equipment.
7. Minimum net for each order whether for parts or otherwise is \$100.00 and is further subject to minimum order quantity for certain items if any specified in this price list.
8. First time orders must be accompanied by a certified or a cashier's check for the full amount of order, including any applicable freight unless satisfactory credit has been established and approved by Sammons Equip. Mfg. Corp.
9. All equipment and parts are shipped at buyer's risk. Title to goods passes to buyer on delivery of goods to the carrier by Sammons Equip. Mfg. Corp. at its plant. Any claims for damages or shortages must be filed promptly with the carrier by the buyer/consignee and any resulting reimbursement is a matter to be resolved between the carrier and the buyer. For an incomplete or damaged shipment, obtain a notation on freight bill followed by an inspection report signed by the freight carrier's agent. For a concealed damage contact the carrier and have their inspector make an inspection report.

WARRANTY

Sammons Equipment Mfg. Corp. warrants to the original purchaser only that it will at its option, repair or replace during the warranty period specified below, any defect in material or workmanship in any part or product manufactured at its plant. The warranty period is one (1) year for parts and (90) days for labor and the period starts on the date of original shipment from its plant. Repair or replacement under the warranty shall be performed, unless otherwise authorized in writing by Sammons Equip. Mfg. Corp., at its plant. Transportation charges are not included and are to buyer's account. Any changes, modifications or alterations of original equipment or parts voids the warranty.

The warranties and limitations of liability set forth herein shall be exclusive, in lieu of, and exclude all other (expressed, implied or statutory) warranties (except title) including without limitations those of merchantability, fitness of purpose, or otherwise.

Sammons Equip. Mfg. Corp. shall under no circumstances be liable for special, incidental, exemplary, or consequential damages including but not limited to, loss by reason of facility shutdown, non-operation, cost of replacement, cost of substitute equipment, facilities, or services, delays in installation of the work or completion of the project, or other such claims arising from any cause whatsoever whether or not such loss or damage is based on contract, warranty, negligence, strict liability, indemnity, or otherwise.